

Publications ISI 2015

- Alvarenga, P., Mourinha, C., Farto, M., Santos, T., Palma, P., Sengo, J., Morais, M.- C., Cunha-Queda, C. (2015) *Sewage sludge, compost and other representative organic wastes as agricultural soil amendments: Benefits versus limiting factors.* Waste Management, 40: 44–52. DOI:10.1016/j.wasman.2015.01.027
- Alves, B., Rigall-I-Torrent, R., Ballester, R., Benavente, J., Ferreira, Ó. (2015). *Coastal erosion perception and willingness to pay for beach management (Cadiz, Spain).* Journal of Coastal Conservation, 19(3), 269–280. <http://doi.org/10.1007/s11852-015-0388-6>
- B. Rodrigues1, J. M. Peinado, S. Raposo, A. Constantino, C. Quintas, and M. E. Lima-Costa (2015). *Kinetic and Energetic Parameters of Carob Wastes Fermentation by Saccharomyces cerevisiae: Crabtree Effect, Ethanol Toxicity, and Invertase Repression.* J. Microbiol. Biotechnol. (2015), 25(6), 837–844. DOI 10.4014/jmb.1408.08015.
- Backstrom J., Jackson D.W.T., Cooper J.A.G., Loureiro C., (2015). *Contrasting geomorphological storm response from two adjacent shorefaces.* Earth Surface Processes and Landforms, 40, 2112-2120. DOI: 10.1002/esp.3788. IF: 3.505
- Bebianno M.J., Pereira C.G., Rey F., Cravo A., Duarte D., D'Errico G., Regoli F. (2015). *Integrated approach to assess ecosystem health in harbor areas.* Science of the Total Environment 514, 92–107. <http://dx.doi.org/10.1016/j.scitotenv.2015.01.050>. Impact Factor: 3.976;5-Year Impact Factor: 4.317
- Bebianno, M. J., Gonzalez-Rey, M., Gomes, T., Mattos, J. J., Flores-Nunes, F., Bainy, A. C. D. (2015). *Is gene transcription in mussel gills altered after exposure to Ag nanoparticles?* Environmental Science and Pollution Research, 22(22), 17425–17433. <http://doi.org/10.1007/s11356-015-5186-z>
- Bebianno, M. J., Pereira, C. G., Rey, F., Cravo, A., Duarte, D., D'Errico, G., Regoli, F. (2015). *Integrated approach to assess ecosystem health in harbor areas.* Science of the Total Environment, 514, 92–107. <http://doi.org/10.1016/j.scitotenv.2015.01.050>
- Boski, T., Angulo, R. J., Souza, M. C., Barboza, E. G., Knicker, H., Gonzalez-Perez, J. A., Gonzalez-Vila, F. J. (2015). *Progradation rates of coastal barriers estimated from the 14C age of soil organic matter.* Journal of Quaternary Science, 30(1), 9–18. <http://doi.org/10.1002/jqs.2753>
- Boski, T., Bezerra, F.H., Pereira, L.F., Souza, A.M., Maia, R.P., Lima-Filho, F., (2015). *Sea-Level Rise Since 8.2 Ka Recorded In The Sediments Of The Potengi-Jundiaí Estuary, NE Brasil.* Marine Geology 365, 1–13. DOI: 10.1016/j.margeo.2015.04.003
- Bulgarelli, B. & D'Alimonte, (D. Donlon, C.; Parr, A. & Zibordi, G. Eds.) (2015). *Optical radiometry for oceans climate measurements, Simulation of in situ visible radiometric measurements* Elsevier, 2014, 43 (Book chapter: <https://www.elsevier.com/books/optical-radiometry-for-ocean-climate-measurements/zibordi/978-0-12-417011-7>)
- Camacho, S. Moura, D., Connor, S., Boski, T., Scott, D., (2015). *Taxonomy, ecology, and biogeographical trends of dominant benthic foraminifera species from an Atlantic-Mediterranean estuary (the Guadiana, southeast Portugal).* Palaeontologia Electronica,

18.1 (17A), 1-27. <http://palaeo-electronica.org/content/pdfs/512.pdf>

- Camacho, S., Connor, S., Asioli, A., Boski, T., Scott, D. (2015). *Testate amoebae and tintinnids as spatial and seasonal indicators in the intertidal margins of Guadiana Estuary (southeastern Portugal)*. Ecological Indicators, 58, 426–444.
<http://doi.org/http://dx.doi.org/10.1016/j.ecolind.2015.05.041>
- Camacho, S., Moura, D., Conner, S., Scott, D., Boski, T., (2015). *Ecological zonation of benthic foraminifera in the lower Guadiana Estuary (southeastern Portugal)*. Marine Micropaleontology, 112, 1-18. DOI: 10.1016/j.marmicro.2014.10.004.
<http://www.sciencedirect.com/science/article/pii/S0377839814001078>
- Camargo, J.B.D.A., Cruz, A.C.F., Campos, B.G., Araújo, G.S., Fonseca, T.G., Abessa, D.M.S. (2015). *Use, development and improvements in the protocol of whole-sediment toxicity identification evaluation using benthic copepods*. Marine Pollution Bulletin, 91: 511-517. DOI:10.1016/j.marpolbul.2014.10.015.
- Cordes, E.E., Jones, D.O.B., Schlacher, T.A., Amon, D.J., Bernardino, A.F., Bett, B.J., Brooke, S., Carney, R., DeLeo, D.M., Dunlop, K.M., Escobar, E., Gates, A.R., Génio, L., Gobin, J., Henry, L.-A., Herrera, S., Hoyt, S., Joye, M., Kark, S., Mestre, N.C., Metaxas, A., Pfeifer, S., Sink, K., Sweetman, A.K., Witte, U. 2016. *Environmental impacts of the deep-water oil and gas industry: a review to guide management strategies*. Frontiers in Environmental Science. 4, 58. (<http://dx.doi.org/10.3389/fenvs.2016.00058>)
- Costas, S., Ferreira, O., Martinez, G., (2015). *Why do we decide to live with risk at the coast?* Ocean & Coastal Management 118, Part A, 1-11. DOI: 10.1016/j.ocecoaman.2015.05.015
- Cravo, A., Fernandes, D., Damião, T., Pereira, C., Reis, M.P. (2015). Determining the footprint of sewage discharges in a coastal lagoon in South-Western Europe. Marine Pollution Bulletin 96, 197-206. <http://dx.doi.org/10.1016/j.marpolbul.2015.05.029>. Impact Factor: 3.099; 5-Year Impact Factor: 3.512
- Cravo, A., Fernandes, D., Damião, T., Pereira, C., Reis, M.P. (2015). *Determining the footprint of sewage discharges in a coastal lagoon in South-Western Europe*. Marine Pollution Bulletin 96, 197-206. <http://dx.doi.org/10.1016/j.marpolbul.2015.05.029>
- Cristina, S., Icely, J., Costa Goela, P., Angel DelValls, T., Newton, A. (2015). *Using remote sensing as a support to the implementation of the European Marine Strategy Framework Directive in SW Portugal*. Continental Shelf Research, 108, 169–177. <http://doi.org/10.1016/j.csr.2015.03.011>
- Domingues R.B., Guerra, C., Barbosa, A.B., Galvão, H.M., (2015). *Are nutrients and light limiting summer phytoplankton in a temperate coastal lagoon?* Aquatic Ecology 49: 127-146. <http://dx.doi.org/10.1007/s10452-015-9512-9>
- Encarnação, J., Leitão, F., Range, P., Chícharo, M.A., Chícharo, L., (2015). *Local and temporal variations in near-shore macrobenthic communities associated with submarine groundwater discharges*. Marine Ecology 36 (4), 926-941
- Estevão, J. M. C., Carvalho, A.. (2015). *The role of source and site effects on structural failures due to Azores earthquakes*. Engineering Failure Analysis, 56, 429–440 <http://doi.org/10.1016/j.engfailanal.2014.12.010>

- Fernandes, P., Cogne, N., Chew, D. M., Rodrigues, B., Jorge, R. C. G. S., Marques, J., Vasconcelos, L. (2015). *The thermal history of the Karoo Moatize-Minjova Basin, Tete Province, Mozambique: An integrated vitrinite reflectance and apatite fission track thermochronology study*. Journal of African Earth Sciences, 112, 55–72. <http://doi.org/10.1016/j.jafrearsci.2015.09.009>
- Flores-Nunes, F., Gomes, T., Company, R., Moraes, R. R. M., Sasaki, S. T., Taniguchi, S., Bebianno, M. J. (2015). *Changes in protein expression of pacific oyster Crassostrea gigas exposed in situ to urban sewage*. Environmental Science and Pollution Research, 22(22), 17267–17279. <http://doi.org/10.1007/s11356-014-3821-8>
- Fonseca F, Esteves F, Teixeira Santos M, Brazão J, Eiras-Dias J.E. (2015). *Genetic variants of Grapevine leafroll-associated virus 2 infecting Portuguese grapevine cultivars*. Phytopathologia Mediterranea.
- Fonseca, V.F.; Vasconcelos, R.P.; Tanner, S.E.; França, S.; Serafim, A.; Lopes, B.; Company, R.; Bebianno, M.J.; Costa, M.J.; Cabral, H.N. (2015). *Habitat quality of estuarine nursery grounds: Integrating non-biological indicators and multilevel biological responses in Solea senegalensis*. Ecological Indicators, 58 (3): 335-345. DOI: 10.1016/j.ecolind.2015.05.064.
- Fortunato, A., Bertin, X., Dias, J.M., Matias, A., Coco, G., Fernandes, E., Oliveira, A., Vila-Concejo, A., Larson, M., Silva, P. (2015). *Estuarine and coastal morphodynamics*. Journal of Integrated Coastal Zone Management, 15 (1), 5-7. http://www.aprh.pt/rgci/pdf/rgci-595_Editorial.pdf
- Friis, E.M.; Grimm, G.W.; Mendes, M.M.; Pedersen, K.R. (2015) – *Canrightiopsis*, a new Early Cretaceous fossil with *Clavatipollenites*-type pollen bridge the gap between extinct *Canrightia* and extant Chloranthaceae. *Grana*, 54, 184-212. DOI:10.1080/00173134.2015.1060750
- Garel, E., Ferreira, Ó. (2015). *Multi-year high-frequency physical and environmental observations at the Guadiana Estuary*. Earth System Science Data, 7(2), 299-309, doi:10.5194/essd-7-299-2015. IF: 8.3
- Garel, E., Sousa, C., and Ferreira, Ó., (2015). *Sand bypass and updrift beach evolution after jetty construction at an ebb-tidal delta*. Estuarine, Coastal and Shelf Science 167, Part A: 4-13. doi.org/10.1016/j.ecss.2015.05.044. IF: 2.8
- Gari, S. R., Newton, A., Icely, J. D., (2015). *A review of the application and evolution of the DPSIR framework with an emphasis on coastal social-ecological systems*. Ocean and Coastal Management, 103, 63–77. <http://doi.org/10.1016/j.ocecoaman.2014.11.013>
- Genç, I.Y.; Esteves, E.; Aníbal, J.; Diler, A. (2015). *Effects of different thawing methods on the quality of meagre fillets*. Veterinary Journal of Ankara University (Ankara Üniversitesi Veteriner Fakültesi Dergisi), 62(2): 153-159. DOI: 10.1501/Vetfak_0000002673
- Goela, P., Icely, J., Cristina, S., Danchenko, S., DelValls T.A., Newton, A., 2015. *Using bio-optical parameters as a tool for detecting changes in the phytoplankton community (SW Portugal)*. Estuarine, Coastal and Shelf Science 167, Part A, 125-137. DOI:10.1016/j.ecss.2015.07.037
- Gonçalves, R., Correia, A. D., Atanasova, N., Teodósio, M. A., Ben-hamadou, R.,

Chícharo, L. (2015). *Environmental factors affecting larval fish community in the salt marsh area of Guadiana estuary (Algarve, Portugal)*. Scientia Marina, 79(1), 25–34. <http://doi.org/10.3989/scimar.04081.08A>

- Gonzalez-Rey, M., Tapie, N., Le Menach, K., Davier, M. H., Budzinski, H., Bebianno, M. J. (2015). *Occurrence of pharmaceutical compounds and pesticides in aquatic systems*. Marine Pollution Bulletin, 96 (7): 384-400. <http://doi.org/10.1016/j.marpolbul.2015.04.029>
- González-Villanueva, R., Pérez-Arlucea, M., Costas, S., Bao, R., Otero, X.L., Goble, R., (2015). *8000 years of environmental evolution of barrier-lagoon systems emplaced in coastal embayments (NW Iberia)*. The Holocene 25, 1786-1801.
- Guimarães, M. H., McKee, A., Lima, M. L., Vasconcelos, L., Boski, T., Dentinho, T. (2014). *Putting transdisciplinarity into practice: a mixed mode procedure for stakeholder participation in natural resource management*. Journal of Environmental Planning and Management, 58(Klein 2004), 1–26. <http://doi.org/10.1080/09640568.2014.964850>
- Guimarães, M. H., Nunes, L. C., Madureira, L., Santos, J. L., Boski, T., Dentinho, T. (2015). *Measuring birdwatchers preferences: A case for using online networks and mixed-mode surveys*. Tourism Management, 46, 102–113. <http://doi.org/10.1016/j.tourman.2014.06.016>.
- Hilário, A., Metaxas, A., Gaudron, S., Howell, K., Mercier, A., Mestre, N.C., Ross, R.E., Thurnherr, A., Young, C. (2015). *Estimating dispersal distance in the deep sea: challenges and applications to marine reserves*. Frontiers in Marine Science - Deep-Sea Environments and Ecology, 2 (6): 1-14. DOI:10.3389/fmars.2015.00006.
- Jayasinghe R.P.P.K., Amarasinghe U.S., Newton, A., (2015). *Evaluation of marine subareas of Europe using life history parameters and trophic levels of selected fish populations*. Marine Environmental Research 112, Part B, 81–90. DOI: 10.1016/j.marenvres.2015.08.002
- Laut, L.L.M., Rodrigues, M.A. da C., Silva, F.S., Mentzingen, L.G., Martins, V., Boski, T., Gomes, A.I., Dias, J.M.A., Fontana, L.F., Clemente, I.M.M.M., Belart, P., Ribeiro, R.L., Mendonça-Filho, J.G., (2015). *Ostracodes of the Arade River Estuary, Algarve - Portugal*. Anuário do Instituto de Geociências 38, 115-126. URL: http://www.anuario.igeo.ufrj.br/2015_2/2015_2_115_126.pdf
- Leitão, F., Encarnação, J., Range, P., Schmelz, R. M., Teodósio, M. A., & Chícharo, L., (2015). *Submarine groundwater discharges create unique benthic communities in a coastal sandy marine environment*. Estuarine, Coastal and Shelf Science, 163(PB), 93–98. <http://doi.org/10.1016/j.ecss.2015.06.007>
- Lobo, F.J., Goff, J.A, Mendes, I., Bárcenas, P., Fernández-Salas, L.M., Martín-Rosales, W., Macías, J., Díaz del Río, V., (2015). *Spatial variability of prodeltaic undulations on the Guadalete River prodelta: support to the genetic interpretation as hyperpycnal flow deposits*. Marine Geophysical Research, 36 (4), 309-333. DOI: 10.1007/s11001-014-9233-9 (JCR® IF (2015): 1.286)
- Mansur, A.V., Brondízio, E.S., Hetrick, S., Vogt, N., Newton, A., (2016). *An Assessment of*

- Martins, M. V. A., Perretti, A. R., Salgueiro, E., Frontalini, F., Moreno, J., Soares, A. M., Dias, J. A., (2015). *Atlantic sea surface temperatures estimated from planktonic foraminifera off the Iberian Margin over the last 40Ka BP.* Marine Geology, 367, 191–201. <http://doi.org/10.1016/j.margeo.2015.06.001>
- Martins, M. V. A., Silva, F., Laut, L. L. M., Frontalini, F., Clemente, I. M. M. M., Miranda, P., Dias, J. M. A., (2015). *Response of benthic foraminifera to organic matter quantity and quality and bioavailable concentrations of metals in Aveiro Lagoon (Portugal).* PLoS ONE, 10(2). <http://doi.org/10.1371/journal.pone.0118077>
- Mendes, I., Lobo, F.J., Fernández-Salas, L.M, López-González, N., Bárcenas, P., Schönfeld, J., Ferreira, Ó., (2015). *Multi-proxy evidence of rainfall variability recorded in subaqueous deltaic deposits off the Adra River, southeast Iberian Peninsula.* Estuarine, Coastal and Shelf Science, 167, 300-312.
- Mestre, N. C., Cottin, D., Bettencourt, R., Colaço, A., Correia, S. P. C., Shillito, B., Ravaux, J., (2015). *Is the deep-sea crab Chaceon affinis able to induce a thermal stress response?* Comparative Biochemistry and Physiology -Part A : Molecular and Integrative Physiology, 181, 54–61. <http://doi.org/10.1016/j.cbpa.2014.11.015>
- Monteiro C. E.; Cardeira S.; Cravo A.; Bebianno M. J.; Sánchez Ricardo F; Relvas P. (2015). *Influence of an upwelling filament on the distribution of labile fraction of dissolved Zn, Cd and Pb off Cape São Vicente, SW Iberia.* Continental Shelf Research, 94, 28-41. <http://dx.doi.org/10.1016/j.csr.2014.12.004>. Impact Factor: 2.011; 5-Year Impact Factor: 2.331
- Morais, P., Parra, M.P.R., Marques, J.C., Angélico, M.M., Chainho, P., Costa, J.L., Barbosa, A.B., Teodósio, M.A., (2015). *What are jellyfish really eating to support high ecophysiological condition?* Journal of Plankton Research 37: 1036–1041. <http://dx.doi.org/10.1093/plankt/fbv044>
- Moreira da Silva, M.; Aníbal, J.; Duarte, D.; Chicharo, L., (2015). *Sarcocornia fruticosa and Spartina maritima as heavy metals remediaters in an European southwestern salt marsh (Ria Formosa, Portugal).* Journal of Environmental Protection and Ecology, 16(4): 1468-1477.
- Naughton, F., Keigwin, L., Peteet, D., Costas, S., Desprat, S., Oliveira, D., de Vernal, A., Voelker, A., Abrantes, F., (2015). *A 12,000-yr pollen record off Cape Hatteras — Pollen sources and mechanisms of pollen dispersion.* Marine Geology 367, 118-129.
- Neves, A., Pinardi, N., Martins, F., Janeiro, J., Samaras, A., Zodiatis, G., De Dominicis, M., (2015). *Towards a common oil spill risk assessment framework – Adapting ISO 31000 and addressing uncertainties.* Journal of Environmental Management, 159:158-168. doi:10.1016/j.jenvman.2015.04.044. IF: 3.131
- Newton, A., Borja, A., Solidoro, C., Grégoire, M. (2015). *Implementing the European Marine Strategy Framework Directive: Scientific challenges and opportunities.* Continental Shelf Research, 108, 141–143. <http://doi.org/10.1016/j.csr.2015.09.016>
- Pacheco A., Horta J., Loureiro C., Ferreira Ó. (2015). *Nearshore bathymetry derived by satellite images as a tool for coastal monitoring.* Remote Sensing of the Environment.

159, 102-116. DOI: 10.1016/j.rse.2014.12.004. IF: 5.881.

- Pacheco, A., Horta, J., Loureiro, C., Ferreira, Ó. (2015). *Retrieval of nearshore bathymetry from Landsat 8 images: a tool for coastal monitoring in areas of shallow water*. Remote Sensing of the Environment 159: 102-116 (doi: 10.1016/j.rse.2014.12.004). *IMPACT Factor 6.4*
- Palma, P., Keck-Schulmeyer, M., Alvarenga, P., Ledo, L., de Alda, M. L., & Barcelo, D. (2015). *Occurrence and potential risk of currently used pesticides in sediments of the Alqueva reservoir (Guadiana Basin)*. Environmental Science and Pollution Research, 22(10), 7665-7675. <http://doi.org/10.1007/s11356-015-4390-1>
- Palma, P., Ledo, L., & Alvarenga, P. (2015). *Assessment of trace element pollution and its environmental risk to freshwater sediments influenced by anthropogenic contributions: The case study of Alqueva reservoir (Guadiana Basin)*. Catena, 128, 174-184. <http://doi.org/10.1016/j.catena.2015.02.002>
- Plomaritis, T., Benavente, J., Laiz, I., & Del Rio, L. *Variability in storm climate along the Gulf of Cadiz: the role of large scale atmospheric forcing and implications to coastal hazards*. Climate Dynamics, 45(9-10), 2499-2514.
- Rocha, T. L., Gomes, T., Mestre, N. C., Cardoso, C., & Bebianno, M. J. (2015). *Tissue specific responses to cadmium-based quantum dots in the marine mussel Mytilus galloprovincialis*. Aquatic Toxicology, 169, 10-18. <http://doi.org/10.1016/j.aquatox.2015.10.001>
- Rocha, T. L., Gomes, T., Pinheiro, J. P., Sousa, V. S., Nunes, L. M., Teixeira, M. R., & Bebianno, M. J. (2015). *Toxicokinetics and tissue distribution of cadmium-based Quantum Dots in the marine mussel Mytilus galloprovincialis*. Environmental Pollution, 204, 207-214. <http://doi.org/10.1016/j.envpol.2015.05.008>
- Rocha, T. L., Gomes, T., Sousa, V. S., Mestre, N. C., & Bebianno, M. J. (2015). *Ecotoxicological impact of engineered nanomaterials in bivalve molluscs: An overview*. Marine Environmental Research, 111, 74-88. <http://doi.org/10.1016/j.marenvres.2015.06.013>.
- Rocha, T.L., Santos, A.P.R., Yamada, A.T., Soares, C.M.A., Borges, C.L., Bailão, A.M., Sabóia-Morais, S.M.T. (2015). *Proteomic and histopathological response in the gills of Poecilia reticulata exposed to glyphosate-based herbicide*. Environmental Toxicology and Pharmacology, 40: 175 - 196. DOI:10.1016/j.etap.2015.04.016
- Rodrigues, B., Chew, D. M., Jorge, R., Fernandes, P., Veiga Pires, C., & Oliveira, J. T. (2015). *Detrital Zircon Geochronology of the Carboniferous Baixo Alentejo Flysch Group (South Portugal); Constraints on the Provenance and Geodynamic Evolution of the South Portuguese Zone*. Journal of the Geological Society, 172(3), 294-308. <http://doi.org/10.1144/jgs2013-084>
- Rodrigues, B., Peinado, J., Raposo, S., Constantino, A., Quintas, C., & Lima-Costa, M. E. (2015). *Kinetic and Energetic Parameters of Carob Wastes Fermentation by Saccharomyces cerevisiae: Crabtree Effect, Ethanol Toxicity, and Invertase Repression*, 25(6), 837-844. Journal of Microbiology and Biotechnology. <http://doi.org/10.4014/jmb.1408.08015>

- Rodrigues, J.I., Figueiredo, M., Silvestre, I., Veiga-Pires, C., (2015). *Geometrical and Topological Modelling of Caves Supported by a Relational Database Model*. International Journal of Business Process Integration and Management. doi.org/10.1504/IJBPM.2015.073661.. <http://www.inderscienceonline.com/doi/abs/10.1504/IJBPM.2015.073661>
- Roggatz, C.C.; González-Wangüemert, M.; Pereira, H.; Rodrigues, M.J.; Moreira da Silva, M.; Barreira, L.; Varela, J.; Custódio, L. (2015). *First report of the nutritional profile and antioxidant potential of Holothuria arguinensis, a new resource for aquaculture in Europe*. Natural Product Research. DOI: 10.1080/14786419.2015.1107555
- Sá, C., D'Alimonte, D., Brito, A. C., Kajiyama, T., Mendes, C. R., Vitorino, J. Brotas, V. (2015). *Validation of standard and alternative satellite ocean-color chlorophyll products off Western Iberia*. Remote Sensing of Environment, 168, 403–419. <http://doi.org/10.1016/j.rse.2015.07.018>
- Sampath D.M.R., Loureiro C., Boski T., Sousa C. (2015). *Estuarine response to the past and future sea level changes: a large scale coastal behaviour model approach*. Geomorphology, 232, 47-64. DOI: 10.1016/j.geomorph.2014.12.037. IF: 2.813
- Sampath, D. M. R., Boski, T., Loureiro, C., & Sousa, C. (2015). *Modelling of estuarine response to sea-level rise during the Holocene: Application to the Guadiana Estuary-SW Iberia*. Geomorphology, 232, 47–64. <http://doi.org/10.1016/j.geomorph.2014.12.037>
- Seiler, L., Fernandes, E., Martins, F. & Abreu, P., (2015). *Evaluation of hydrologic influence on water quality variation in a coastal lagoon through numerical modelling*. Ecological Modelling, 314:44-61. Doi:10.1016/j.ecolmodel.2015.07.021. IF: 2.275
- Semeoshenkova, V., & Newton, A. (2015). *Overview of erosion and beach quality issues in three Southern European countries: Portugal, Spain and Italy*. Ocean and Coastal Management, 118, 12–21. <http://doi.org/10.1016/j.ocecoaman.2015.08.013>
- Sepp Neves, A. A., Pinardi, N., Martins, F., Janeiro, J., Samaras, A., Zodiatis, G., De Dominicis, M., (2015). *Towards a common oil spill risk assessment framework – Adapting ISO 31000 and addressing uncertainties*. Journal of Environmental Management, 159, 158-168, <http://dx.doi.org/10.1016/j.jenvman.2015.04.044>.
- Serrano, M. A. S.; Gonzalez-Rey, M.; Mattos, J. J.; Flores-Nunes, F.; Mello, A. C. P.; Zacchi, F. L.; Piazza, C. E.; Siebert, M. N.; Piazza, R. S.; Alvarez-Muñoz, D.; Rodriguez-Mozaz, S.; Barceló, D.; Bebianno, M. J.; Gomes, C. H. A. M.; Melo, Cl. M. R.; Bainy, Afonso C. D. (2015). *Differential gene transcription, biochemical responses, and cytotoxicity assessment in Pacific oyster Crassostrea gigas exposed to ibuprofen*. Environmental Science and Pollution Research, 22: 17375-17385. <http://doi.org/10.1007/s11356-014-4023-0>
- Serrão, M., Shahrabadi, S., Moreno, M., José, J. T., Rodrigues, J. I., Rodrigues, J. M. F., & du Buf, J. M. H. (2015). *Computer vision and GIS for the navigation of blind persons in buildings*. Universal Access in the Information Society, 14(1), 67–80. <http://doi.org/10.1007/s10209-013-0338-8>
- Silvestre, I., Rodrigues, J.I., Figueiredo, M., Veiga-Pires, C., (2015). *High-resolution digital 3D models of karst: limitations, challenges, and potential*. International Journal of Speleology, 44, 25–35. <http://hdl.handle.net/10400.1/5659>, doi.org/10.5038/1827-

806X.44.1.3.

- Teodósio, M. A., Garel, E., (2015). *Linking hydrodynamics and fish larvae retention in estuarine nursery areas from an ecohydrological perspective*. Ecohydrology & Hydrobiology. [doi:10.1016/j.ecohyd.2015.08.003](https://doi.org/10.1016/j.ecohyd.2015.08.003). IF: 0.5
- Vitor, G.; Palma, T.C.; Vieira, B.; Lourenço, J.P.; Barros, R.J.; and Costa, M.C. (2015). *Start-up, adjustment and long-term performance of a two-stage bioremediation process, treating real acid mine drainage, coupled with biosynthesis of ZnS nanoparticles and ZnS/TiO₂ nanocomposites*. Minerals Engineering, 75: 85-93. DOI:10.1016/j.mineng.2014.12.003.
- Witkowski, A., Gomes, A., Mann, D.G., Trobajo, R., Li, C., Barka, F., Gusev, E., Dąbek, P., Grzonka, P., Kurzydłowski, K.J., Zgłobicka, I., Harrison, M., Boski, T..(2015) *Simonsenia aveniformis* sp. nov. (Bacillariophyceae), molecular phylogeny and systematics of the genus, and a new type of canal raphe system. Scientific Report 5, 17115.URL: www.nature.com/articles/srep17115. DOI:10.1038/srep17115
- Xu, H., Newton, A., Wolanski, E., & Chen, Z. (2015). *The fate of phosphorus in the Yangtze (Changjiang) Estuary, China, under multi-stressors: Hindsight and forecast*. Estuarine, Coastal and Shelf Science, 163(May), 1–6. <http://doi.org/10.1016/j.ecss.2015.05.032>.

Publications ISI 2014

- Achab, M.; Ferreira, O.; Dias, J.M.A., (2014). *Evaluation of sedimentological and morphological changes induced by the rehabilitation of sandy beaches from the Ria Formosa barrier island system (South Portugal)*. Thalassas, 30 (2), 21-31.
- Alvarenga, P.; Simões, I.; Palma, P.; Amaral, O.; Matos, J. X.; (2014). *Field study on the accumulation of trace elements by vegetables produced in the vicinity of abandoned pyrite mines*. Science of the Total Environment. 470-471:1233-1242.
- Alves, B.; Benavente, J.; Ferreira, O., (2014). *Beach users' profile, perceptions and willingness to pay for beach management in Cadiz (SW Spain)*. Journal of Coastal Research, SI 70, 521-526.
- Aníbal, J.; Madeira, H. T.; Carvalho, L. F.; Esteves, E.; Veiga-Pires, C. & C. Rocha . *Macroalgae mitigation potential for fish aquaculture effluents: an approach coupling nitrogen uptake and metabolic pathways using Ulva rigida and Enteromorpha clathrata*. Environmental Science and Pollution Research. DOI: 10.1007/s11356-013-2427-x (IF2013: 2.757).
- Bebianno, M. J. (2014). "Editorial", Aquatic Toxicology 153, 3: 1 - 2.doi:10.1016/j.aquatox.2014.03.026. JCR® factor de impacto (2012): 3.730
- Bebianno, M. J. (2014). "PRIMO 17", Marine Environmental Research 96, 5: 1 - 1.doi:10.1016/j.marenvres.2014.02.001 2.337). DOI 10.1007/s11356-014-3360-3 (JCR® factor de impacto (2012): 2.618)
- Bebianno, M. J.; Minier, C.(2014) *Combined effects of environmental stressor in the aquatic environment*. Environmental Science and Pollution Research, 21, 13289-13290. DOI 10.1007/s11356-014-3360-3
- Brown, S., Nicholls, R., Brundrit, G., Dearing, J., Dickson, M., Gallop, S., Gao, S., Haigh, I., Hinkel, J., Jiménez, J., Klein, R., Kron, W., Lázár, A., Neves, C., Newton, A., et al, (2014). *Shifting perspectives on coastal impacts and adaptation*. Nature Climate Change, v. 4, pp. 752-755. DOI: 10.1038/nclimate2344 ISSN: 1758-678X
- Camacho, S., Moura, D., Conner, S., Boski, T., Gomes, A., (2014). *Spatio-temporal variations of main sedimentological and geochemical parameters in the margins of an atlantic-mediterranean estuary (the guadiana, southeast portugal)*. Journal of Integrated Coastal Zone Management, 14 (1), 129-148. doi: 10.5894/rgci452;
- Camacho, S., Moura, D., Conner, S., Scott, D., Boski, T., (2014). *Ecological zonation model for the benthic foraminifera of the Guadiana River Estuary (southeastern Portugal)*. Marine Micropaleontology. DOI: 10.1016/j.marmicro.2014.10.004.
- Carrasco, A.R., Reis, M.T., Neves, M.G., Ferreira, Ó., Matias, A., Almeida, S. (2014). *Overtopping hazard on a rubble mound breakwater*. Journal of Coastal Research, SI 70, 247-252.
- Cravo, A., Cardeira, S., Pereira, C., Rosa, M., Alcântara, P., Madureira, M., Rita, F., Luis, J., Jacob, J. (2014). *Exchanges of nutrients and chlorophyll a through two inlets of Ria*

Formosa, South of Portugal, during coastal upwelling events. Journal of Sea Research, 93, 63-74. <http://dx.doi.org/10.1016/j.seares.2014.04.004>. Impact Factor: 2.148; 5-Year Impact Factor: 2.192

- Cravo, A., Cardeira, S., Pereira, C., Rosa, M., Alcântara, P., Madureira, M., Rita, R., Luis, J., Jacob, J. (2014). *Exchanges of nutrients and chlorophyll a through two inlets of Ria Formosa, South of Portugal, during coastal upwelling events.* Journal of Sea Research, 93, 63-74. <http://dx.doi.org/10.1016/j.seares.2014.04.004>.
- Cristina, S.C.V., Moore, G.F., Goela, P.R.F.C., Icely, J.D., Newton, A., (2014). *In situ validation of MERIS marine reflectance off the southwest Iberian Peninsula: assessment of vicarious adjustment and corrections for near-land adjacency.* International Journal of Remote Sensing, v. 35, n.6, pp. 2347-2377. DOI: 10.1080/01431161.2014.894657ISSN:..
- Davide D'Alimonte, Giuseppe Zibordi, Tamito Kajiyama, and Jean-François Berthon. (2014). *Comparison between MERIS and regional high-level products in European seas.* Remote Sens. Environ., 140:378–395, Available: <http://dx.doi.org/10.1016/j.rse.2013.07.029>.
- De Dominicis, M., Falchetti, S., Trotta, F., Pinardi, N., Giacomelli, L., Napolitano, E., Fazioli, L., Sorgente, R., Haley Jr., P.J., Lermusiaux, P.F.J., Martins, F. & Cocco, M., (2014). *A Relocatable Ocean Model in support of environmental emergencies - The Costa Concordia emergency case,* Ocean Dynamics 64-5:667-688. doi:10.1007/s10236-014-0705-x. IF:1.892
- De Dominicis, M., Falchetti, S., Trotta, F., Pinardi, N., Giacomelli, L., Napolitano, E., Fazioli, L., Sorgente, R., Haley Jr., P.J., Lermusiaux, P.F.J., Martins, F. & Cocco, M., (2014). *A Relocatable Ocean Model in support of environmental emergencies - The Costa Concordia emergency case,* Ocean Dynamics 64:667-688.
- Dias, E., Morais, P., Antunes, C., Hoffman, J., (2014). *Linking terrestrial and benthic estuarine ecosystems: Organic matter sources supporting the high secondary production of a non-indigenous bivalve.* Biological Invasions 16: 2163-2179doi: 10.1007/s10530-014-0655-8.
- Domingues, R., B., Guerra, C., C., Barbosa, A., B., Brotas, V., Galvão, H., M., (2014). *Effects of ultraviolet radiation and CO₂ increase on winter phytoplankton assemblages in a temperate coastal lagoon.* Journal of Plankton Research 36: 672-684 (doi: 10.1093/plankt/fbt135).
- Domingues, R.B., Barbosa, A., B., Galvão, H., M., (2014). *River damming leads to decreased phytoplankton biomass and disappearance of cyanobacteria blooms.* Estuarine, Coastal and Shelf Science 136: 129-138 (doi:10.1016/j.ecss.2013.11.012).
- Fernandes, D., Pujol, S., Aceña, J., Perez, S., Barceló, D., Porte, C. (2014). *The in-vitro interference of synthetic progestagens with carp steroidogenic enzymes.* Aquatic Toxicology 155, 314-321. (doi:10.1016/j.aquatox.2014.07.014).
- Fernandes, D., Pujol, S., Pérez-Albaladejo, E., Tauler, R., Bebianno, M. J., Porte, C. (2014). *Characterization of the environmental quality of sediments from two estuarine systems based on different in-vitro bioassays.* Marine Environmental Research 96, 5:

- Figueiredo, Mauro; Rodrigues, José I; Silvestre, Ivo; Veiga-Pires, Cristina. (2014). *A Topological Framework for Interactive Queries on 3D Models in the Web*. The Scientific World Journal 2014, 2014: 1 - 10. doi:10.1155/2014/920985.
- Fonseca, V.F.; Vasconcelos, R.P.; França, S.; Serafim, A.; Lopes, B.; Company, R.; Bebianno, M.J.; Costa, M.J.; Cabral, H.N.. (2014). *Modelling fish biological responses to contaminants and natural variability in estuaries*, Marine Environmental Research 96, 5: 45 - 55.doi: 10.1016/j.marenvres.2013.10.011 JCR® factor de impacto (2012): 2.337.
- Font, E., Fabre, S., Nédélec, A., Adatte, T., Keller, G., Veiga-Pires, C., Ponte, J., Mirão, J., Khozyem, H., and Spangenberg, J., (2014). *Atmospheric halogen and acid rains during the main phase of Deccan eruptions: Magnetic and mineral evidence*, in Keller, G., and Kerr, A.C., eds., Volcanism, Impacts, and Mass Extinctions:Causes and Effects: Geological Society of America Special Paper 505, p. 1?16, doi:10.1130/2014.2505(18). SJR-IF(2012): 4,173.
- Font, E., Veiga-Pires, C., Carvalho, C., Pozo, M., Neto, S., Camps, P., (2014). *Magnetic fingerprint of Southern Portuguese speleothems and implications for paleo- and environmental magnetism*. Journal of Geophysical Research, under revision 2014. SJR-IF(2012): 2,912.
- Gago-Tinoco, A.; González-Domínguez, R.; García-Barrera, T.; Blasco-Moreno, J.; Bebianno, M. J; Gómez-Ariza, J.-L. (2014). *Metabolic signatures associated with environmental pollution by metals in Doñana National Park using P. clarkii as bioindicator*. Environmental Science and Pollution Research, 21, 13315-13323.DOI 10.1007/s11356-014-2741-y
- Garel, E.; Rey, C.C.; Ferreira, O.; van Koningsveld, M., (2014). *Applicability of the "Frame of Reference" approach for environmental monitoring of offshore renewable energy projects*. Journal of Environmental Management, 141, 16-28. doi:10.1016/j.jenvman.2014.02.037. IF: 4.0
- Garel, E.; Sousa, C.; Ferreira, O.; Morales, J.A., (2014). *Decadal morphological response of an ebb-tidal delta and down-drift beach to artificial breaching and inlet stabilisation*. Geomorphology, 216, 13-25. doi: 10.1016/j.geomorph.2014.03.031. IF: 3.3
- Gari, S.R., Newton, A., Icely, J., Lowe, C.D., (2014). *Testing the application of the Systems Approach Framework (SAF) for the management of eutrophication in the Ria Formosa*. Marine Policy, v. 43, pp. 40-45.DOI:10.1016/j.marpol.2013.03.017ISSN: 0308-597X.
- Gerbron, M., Geraudie, P., Fernandes, D., Rotchell, J.R., Porte, C., Minier, C. (2014). *Evidence for altered fertility in female roach (*Rutilus rutilus*) from the river Seine (France)*. Environmental Pollution 191, 58-62. (doi:10.1016/j.envpol.2014.04.015).
- Gomes, T., Pereira, C. G., Cardoso, C., Sousa , V. S., Teixeira, M. R. Pinheiro, J. P., Bebianno, M. J. (2014). *Effects of silver nanoparticles exposure in the mussel *Mytilus galloprovincialis**. Marine Environmental Research (in press) DOI: 10.1016/j.marenvres.2014.07.004(JCR® factor de impacto (2012): 2.337).

- Gomes, Tânia; Chora, Suze; Pereira, Catarina G; Cardoso, Cátia; Bebianno, Maria J. (2014). *Proteomic response of mussels Mytilus galloprovincialis exposed to CuO NPs and Cu²⁺: An exploratory biomarker discovery*. Aquatic Toxicology 155, 7: 327 - 336. doi: 10.1016/j.aquatox.2014.07.015 (JCR® factor de impacto (2012): 3.730).
- Gonzalez-Rey, M., Bebianno, M. J. (2014). *Effects of non-steroidal anti-inflammatory drug (NSAID) diclofenac exposure in mussel Mytilus galloprovincialis*, Aquatic Toxicology 148, 1: 221 – 230. doi: 10.1016/j.aquatox.2014.01.011 (JCR® factor de impacto (2012): 3.730, Citations 1).
- Gonzalez-Rey, M.; Mattos, J.J.; Piazza, C.E.; Bainy, A.C.D.; Bebianno, M.J.. (2014). *Effects of active pharmaceutical ingredients mixtures in mussel Mytilus galloprovincialis*, Aquatic Toxicology, 3: 12 – 26.doi: 10.1016/j.aquatox.2014.02.006. JCR® factor de impacto (2012): 3.730.
- Guimarães M. H., Boski T., Dentinho T. (2014). *Economic Base Model for Guadiana Estuary - An application for Integrated Coastal Zone Management*. Marine Policy Journal 43: 63?70. <http://dx.doi.org/10.1016/j.marpol.2013.03.010>.
- Horta, J., Pacheco, A., Moura, D., Ferreira, Ó. (2014). *Can recreational Echosounder-Chartplotter systems be used to perform accurate nearshore bathymetric surveys?* Ocean Dynamics 64: 1555–1567 (doi: 10.1007/s10236-014-0773-y). Impact Factor 1.9
- Janeiro, J., Zacharioudaki, A., Sarhadi, E., Neves, A. and Martins, F., (2014). *Enhancing the management response to oil spills in the Tuscany Archipelago through Operational modelling*, Marine Pollution Bulletin, 85:574–589.doi:10.1016/j.marpolbul.2014.03.021. IF: 3.099
- Kajiyama, Tamito, D'Alimonte, Davide and Zibordi, Giuseppe. (2014). *Match-up analysis of MERIS radiometric data in the Northern Adriatic Sea*. IEEE Geosci. Remote Sens. Lett., 11(1):19–23. Available: [http:// dx.doi.org/ 10.1109/LGRS.2013.2244844](http://dx.doi.org/10.1109/LGRS.2013.2244844).
- Lopes, B., Arrebolá J.P., Serafim, A., Company, R., Rosa, J., Olea, N., (2014). *Polychlorinated biphenyl (PCBs) and p,p?-dichlorodiphenyldichloroethylene (DDE) concentrations in maternal serum and umbilical cord serum in a human cohort from South Portugal*. Chemosphere, 114: 291-302.
- Loureiro C., Ferreira Ó., Cooper J.A.G. (2014). *Non-uniformity of storm impacts on high-energy embayed beaches*. Journal of Coastal Research, SI 70, 326-331. DOI: 10.2112/SI70-055.1. IF: 0.852
- Matias A., Carrasco A.R., Loureiro C., Almeida S., Ferreira Ó. (2014). *Nearshore and foreshore influence on overwash of a barrier island*. Journal of Coastal Research, SI 70, 675-680. DOI: 10.2112/SI70-114.1. IF: 0.852
- Matias A., Carrasco A.R., Loureiro C., Almeida S., Ferreira Ó. (2014). *Nearshore and foreshore influence on overwash of a barrier island*.Journal of Coastal Research, SI 70, 675-680.
- Matias, A., Blenkinsopp, C., Masselink, G. (2014). *Detailed investigation of overwash on*

a gravel barrier. Marine Geology, 350, 27-38.

- Mendes, M.M.; Dinis, J.; Esteban, L.; Palacios, P.; Fernández, G.; Pais, J. (2014). *Early Cretaceous woods of Figueira da Foz Formation in western Portugal: palaeoenvironmental, palaeoclimatic and palaeobiogeographic insights.* Cretaceous Research, 51, 112-120. DOI: 10.1016/j.cretres.2014.06.004
- Mendes, M.M.; Dinis, J.; Pais, J.; Friis, E.M. (2014). *Vegetational composition of the Early Cretaceous Chicalhão flora (Lusitanian Basin, western Portugal) based on palynological and mesofossil assemblages.* Review of Palaeobotany and Palynology, 200, 65-81. DOI: 10.1016/j.revpalbo.2013.08.003.
- Mendes, M.M.; Grimm; G.W.; Pais, J.; Friis, E.M. (2014). *Fossil Kajanthus lusitanicus gen. et sp. nov from Portugal: Floral evidence for Early Cretaceous Lardizabalaceae (Ranunculales, basal eudicot).* Grana, 53, 283-301. DOI: 10.1080/00173134.2014.932431
- Mestre, N.C., Calado, R., Soares, A.M.V.M. (2014). *Exploitation of deep-sea resources: the urgent need to understand the role of high pressure in the toxicity of chemical pollutants to deep-sea organisms.* Environmental Pollution. 185, 369-371. (<http://dx.doi.org/10.1016/j.envpol.2013.10.021>).
- Morais P, Rufino MM, Reis J, Dias E, Sousa R (2014) *Assessing the morphological variability of Unio delphinus Spengler, 1783 (Bivalvia: Unionidae) through geometric morphometry.* Journal of Molluscan Studies 80: 17-23. doi: 10.1093/mollus/eyt037.
- Newton, A. and Weichselgartner, J., (2014). *Hotspots of coastal vulnerability: A DPSIR analysis to find societal pathways and responses.* Estuarine, Coastal and Shelf Science, v. 140, pp. 123-133. DOI: 10.1016/j.ecss.2013.10.010 ISSN: 0272-7714.
- Newton, A., Icely, J., et al., (2014). *An overview of ecological status, vulnerability and future perspectives of European large shallow, semi-enclosed coastal systems, lagoons and transitional waters.* Estuarine, Coastal and Shelf Science, v. 140, pp. 95-122. DOI: 10.1016/j.ecss.2013.05.023 ISSN: 0272-7714.
- Nogueira P, Domingues RB, AB Barbosa.(2014) *Are microcosm volume and sample pre-filtration relevant to evaluate phytoplankton growth?* Journal of Experimental Marine Biology and Ecology 461: 323-330 (doi: 10.1016/j.jembe.2014.09.006).
- Pacheco, A., Ferreira, Ó., Carballo, R., Iglesias, G. (2014). *Evaluation of the production of tidal stream energy in an inlet channel by coupling field data and numerical modelling.* Energy 71: 104-117 (doi: 10.1016/j.energy.2014.04.075). Impact Factor 4.8
- Palma, P., Köck-Schulmeyer, M., Alvarenga, P., Ledo, L., Barbosa, I.R., López de Alda, M. Barceló. D. (2014). *Risk assessment of pesticides detected in surface water of the Alqueva reservoir (Guadiana basin, southern of Portugal).* Science of Total Environment. 488-489, 208-219.
- Palma, P., Ledo, L., Soares, S., Barbosa, I. R., Alvarenga, P. (2014). *Spatial and temporal variability of the water and sediments quality in the Alqueva reservoir (Guadiana Basin; Southern Portugal).* Science of the Total Environment. 470-471: 780-790

- Palma, P., Ledo, L., Soares, S., Barbosa, I. R., Alvarenga, P., (2014). *Integrated environmental assessment of freshwater sediments: a chemical and ecotoxicological approach at the Alqueva reservoir*. Environ Geochem Health. 36 (2): 209-223.
- Picot Groz, M; Martinez Bueno, M; Rosain, D.; Fenet, H.; Casellas, C.; Pereira, C.; Maria, V.; Bebianno, M.J.; Gomez, E.. (2014). *Detection of emerging contaminants (UV filters, UV stabilizers and musks) in marine mussels from Portuguese coast by QuEChERS extraction and GC-MS/MS*. Science of The Total Environment 493, 4: 162 - 169. doi:10.1016/j.scitotenv.2014.05.062 JCR® factor de impacto (2012): 3.258.
- Picot Groz, M; Martinez Bueno, M; Rosain, D.; Fenet, H.; Casellas, C.; Pereira, C.; Maria, V.; Bebianno, M.J.; Gomez, E.(2014).*Detection of emerging contaminants (UV filters, UV stabilizers and musks)in marine mussels from Portuguese coast by QuEChERS extraction and GC?MS/MS*. Science of The Total Environment, 493, 162-169. <http://dx.doi.org/10.1016/j.scitotenv.2014.05.062>
- Relvas, P., Cravo, A., Sánchez, R., Monteiro, C., Cardeira, S., Madureira, M., Rita, R. (2014).*Cross-shore exchanges imposed by an upwelling filament*. IEEE Oceanic Engineering Society (OES) and Marine Technology Society (MTS) - OCEANS'14 MTS/IEEE Conference, 7 pp.<http://dx.doi.org/10.1109/OCEANS-TAIPEI.2014.6964385>
- Rocha, T. L; Gomes, T.; Cardoso, C.; Letendre, J, Pinheiro, J. P; Sousa, V. S; Teixeira, M. R; Bebianno, M. J. (2014). *Immunocytotoxicity, cytogenotoxicity and genotoxicity of cadmium-based quantum dots in the marine mussel *Mytilus galloprovincialis**. Marine Environmental Research 101, 10: 29 - 37. doi:10.1016/j.marenvres.2014.07.009 (JCR® factor de impacto (2012): 2.337).
- Stewart, A., Fragoso, B., Clímaco R., Icely, J., (2014). *Evaluation of stakeholder perspectives on the management of the stalked barnacles (*Pollicipes pollicipes*) resource in the Parque Natural do Sudoeste Alentejano e Costa Vicentina, Portugal*. Marine Policy, v.43, pp. 71-79. DOI: 10.1016/j.marpol.2013.03.016 ISSN: 0308-597X.
- van Dongeren, A.; Ciavola, P.; Viaattene, C.; de Kleermaeker, S.; Martinez, G.; Ferreira, O.; Costa, C.; McCall, R., 2014. *RISC-KIT: Resilience-Increasing Strategies for Coasts – toolKIT*. Journal of Coastal Research, SI 70, 366-371.

Publications ISI 2013

- Almeida, C., Pereira, C., Gomes, T., Cardoso, C., Bebianno, M.J., Cravo, A., (2013). *Genotoxicity in two bivalve species from a coastal lagoon in the south of Portugal.* Marine Environmental Research, 89: 29-38. <http://dx.doi.org/10.1016/j.marenvres.2013.04.008>. Impact Factor: 2.769, 5-Year Impact Factor: 3.078
- Alvarenga, P., Laneiro, C., Palma, P., Varennes, A., Cunha-Queda, C.. (2013). *A study on As, Cu, Pb and Zn (bio)availability in an abandoned mine area (São Domingos, Portugal) using chemical and ecotoxicological tools.* Environmental Science and Pollution Research 20: 6539-6550. <http://link.springer.com/article/10.1007/s11356-013-1649-2>
- Barros, P., Sobral, P., Range, P., Chicharo, L., Matias, D., (2013). *Effects of sea-water acidification on fertilization and larval development of the oyster Crassostrea gigas.* Journal of Experimental Marine Biology and Ecology 440:200-206. <http://www.sciencedirect.com/science/article/pii/S0022098113000038>
- Bastos, R., Vidal, A., Azeiteiro, U.M., Dias, J.Á.. (2013). *Fish distribution in fauna data in Lagoon of Aveiro (North Portugal): a comparative analysis between 1758 and the Present. An Interdisciplinary Case Study.* Marine Biodiversity: international Journal of Marine Science 3: 219-224. <http://bio.sophiapublisher.com/index.php/ijms/article/view/844>
- Cardeira, S., Rita, F., Relvas, P., Cravo, A. (2013). *Chlorophyll a and chemical signatures during an upwelling event off the South Portuguese Coast (SW Iberia).* Cont. Shelf Res. 52: 133-149. <http://dx.doi.org/10.1016/j.csr.2012.11.011>. Impact Factor: 2.011; 5-Year Impact Factor: 2.331
- Carrasco, A. R., Ferreira, Ó., Matias, A., Freire, P., Bertin, X., Dias, J. A.. (2013). *Sediment transport measurements with tracers on very low-energy beaches.* Earth Surface Processes and Landforms, 38, 561-569. <http://dx.doi.org/10.1002/esp.3300>
- Carrasco, A. R., Ferreira, Ó., Matias, A.. (2013). *Managing flood risk in fetch-limited environments: what can be done?* Journal of Coastal Research, SI 65, 892-897. http://ics2013.org/papers/Paper3939_rev.pdf
- Carvalho, L. F., Rocha, C., Fleming, A., Veiga-Pires, C., Anibal, J.. (2013). *Interception of nutrient rich Submarine Groundwater Discharge seepage on European temperate beaches by the acoel flatworm, Symsagittifera roscoffensis.* Marine Pollution Bulletin 75: 150-156. doi: 10.1016/j.marpolbul.2013.07. <http://www.sciencedirect.com/science/article/pii/S0025326X13004323>
- Cearreta, A., Mahiques, M., Dias, J. A.. (2013). *Record of anthropogenic activities on the coastal environments of Iberoamerica (Antropicosta).* Ocean and Coastal Management 77: 1-2. <http://www.sciencedirect.com/science/article/pii/S0964569112001913>.
- Chicharo, M. A., Cruz, J., Ben-Hamadou, R., Chicharo, L., (2013). *Zooplankton of the Bay of Biscay and western Iberian Shelf. Guadiana estuary (Site 55).* ICES Zooplankton

status report 2010/2011. ICES Cooperative Research Report 318: 156-160.

- Cravo A., Lopes B., Serafim A., Company R., Barreira L., Gomes T. and Bebianno M.J., (2013) *Spatial and seasonal biomarker responses in the clam Ruditapes decussatus* BIOMARKERS, 18 (1), 30-43. <http://dx.doi.org/10.3109/1354750X.2012.730549>. Impact Factor: 2.21
- Cravo, A, Relvas, P., Cardeira, S, Rita, F. (2013). *Nutrients and chlorophyll a transports during an upwelling event in the NW margin of the Gulf of Cadiz*. Journal of Marine Systems, 128, 208-221. <http://dx.doi.org/10.1016/j.jmarsys.2013.05.001>. Impact Factor: 2.174;5-Year Impact Factor: 2.574
- Cravo, A. Cardeira, S., Pereira, C., Rosa, M., Madureira, M., Rita, F., Luís, J., Jacob, J. (2013). *Nutrients and particulate matter exchanges through the Ria Formosa coastal lagoon, Portugal*. Journal of Coastal Research, 65, 1999-2004. <http://dx.doi.org/10.2112/SI65-338.1>. Impact factor: 0.852
- Cravo, A., Lopes, B., Serafim, A., Company, R., Barreira, L., Gomes, T., Bebianno, M. J.. (2013). *Spatial and seasonal biomarker responses in the clam Ruditapes decussatus*. Biomarkers 18: 30-43. <http://informahealthcare.com/doi/abs/10.3109/1354750X.2012.730549>
- Cravo, A., Relvas, P., Cardeira, S., Rita, F.. (2013). *Nutrients and chlorophyll a transports during an upwelling event in the NW margin of the Gulf of Cadiz*. Journal of Marine Systems 128: 208-221. <http://www.sciencedirect.com/science/article/pii/S0924796313001176>
- Dias, J. A., Cearreta, A., Isla, F.I., de Mahiques, M.M.. (2013). *Anthropogenic impacts on Iberoamerican coastal areas: Historical processes, present challenges, and consequences for coastal zone management*. Ocean and Coastal Management 77: 80-88. <http://www.sciencedirect.com/science/article/pii/S0964569112001949>
- Domingues, R.B., Barbosa, A.B., Galvão, H.M., Brito, A.C., Brotas, V., Caetano, M., Coutinho, T.P., Bordalo, A.A., Icely, J., Neto, J.M., Serôdio, J., Moita, T.. (2013). *Defining phytoplankton class boundaries in Portuguese transitional waters: an evaluation of the ecological quality status according to the Water Framework Directive*. Ecological Indicators 19, 5-14. Ecological Indicators 24 254-255. <http://www.sciencedirect.com/science/article/pii/S1470160X12002609>
- Encarnação, J., Leitão, F., Range, P., Piló, D., Chícharo, M.A., Chícharo, L.. (2013). *The influence of submarine groundwater discharges on subtidal meiofauna assemblages in south Portugal (Algarve)*. Estuarine and Coastal Shelf Science 130 202-208. <http://www.sciencedirect.com/science/article/pii/S0272771413001996>
- Encarnação, J., Leitão, T., Morais, P., Piló, D., Range, P., Chícharo, L., Chícharo, M.A.. (2013). *Effects of inter-annual freshwater inflow shifts on the community structure of estuarine decapods*. Cahiers de Biologie Marine 54: 181-189. <http://www.sb-roscoff.fr/cbm/article.htm?execution=e20s1>
- Esteves, F., Teixeira, S. M., Eiras-Dias, J.E., Fonseca, F.. (2013). *Molecular data mining to improve antibody-based detection of Grapevine leafroll-associated virus 1 (GLRaV-1)*. Journal of Virological Methods 194: 258-270. <http://www.sciencedirect.com/science/article/pii/S0166093413003911>

- Fernandes, D., Dimastrogiovanni, G., Anto, M., Blázquez, M., Porte, C.. (2013). *Metabolism of the polycyclic musk galaxolide and its interference with endogenous and xenobiotic metabolizing enzymes in the Sea Bass (Dicentrarchus labrax)*. Environmental Pollution 174: 214-221. <http://www.sciencedirect.com/science/article/pii/S0269749112005118>
- Fernandes, D., Porte, C.. (2013). *Hydroxylated PAHs alter the synthesis of androgens and estrogens in subcellular fractions of carp gonads*. Science of the Total Environment 447: 152-159. <http://www.sciencedirect.com/science/article/pii/S0048969712016257>
- Fernandes, P., Rodrigues, B., Borges, M., Matos, V., Clayton, G.. (2013). *Organic maturation of the Algarve Basin (southern Portugal) and its bearing on thermal history and hydrocarbon exploration*. Marine and Petroleum Geology 46: 210-233. <http://www.sciencedirect.com/science/article/pii/S0264817213001670>
- Font, E., Veiga-Pires, C., Pozo, M., Nave, S., Costas, S., Ruiz., Muñoz, F., Abad, M., Simões, N., Duarte, S., Rodríguez-Vidal, J.. (2013). *Benchmarks and sediment source(s) of the 1755 Lisbon tsunami deposit at Boca do Rio Estuary*. Marine Geology 343: 1-14. <http://www.sciencedirect.com/science/article/pii/S0025322713001205>
- Freitas, J.G, Dias, J.A.. (2013). *1941 windstorm effects on the Portuguese Coast. What lessons for the future?* Journal of Coastal Research 65: 714-719. http://ics2013.org/papers/Paper4016_rev.pdf
- Frias, P., Horta, J., Almeida, L.P., Pacheco, A., Ferreira, Ó.. (2013). *Development of a WebGIS tool to determine tidal inlet evolution*. Journal of Coastal Research 65: 1379-1384. http://ics2013.org/papers/Paper4318_rev.pdf
- Frias, P., Horta, J., Almeida, L.P., Pacheco, A., Ferreira, Ó. (2013). *Development of a WebGIS tool to determine tidal inlet evolution*. Journal of Coastal Research 65: 1379-1384. *Impact Factor 0.98*
- Garel, E., Ferreira, Ó.. (2013). *Fortnightly changes in water transport direction across the mouth of a narrow estuary*. Estuaries and Coasts, 36: 286-299. Doi: 10.1007/s12237-012-9566-z. IF: 2.7
- Genç, I.Y., Esteves, E., Aníbal, J., Diler, A.. (2013). *Effects of chilled storage on quality of vacuum packed meagre fillets*. Journal of Food Engineering 115: 486-494. <http://www.sciencedirect.com/science/article/pii/S0260877412004335>
- Goela, P.C., Icely, J., Cristina, S., Newton, A., Moore, G., Cordeiro, C.. (2013). *Specific absorption coefficient of phytoplankton off the Southwest coast of the Iberian Peninsula: A contribution to algorithm development for ocean colour remote sensing*. Continental Shelf Research 52: 119-132. <http://www.sciencedirect.com/science/article/pii/S0278434312003184>
- Gomes, A., Witkowski, A., Dabek, P., Boski, T., Moura, D., Szkornik, K., Kurzydlowski, K.. (2013). *Syvertsenia iberica (Cymatosiraceae): a new estuarine diatom genus characterized by the position of its process*. Phytotaxa142: 25-36. <http://biotaxa.org/Phytotaxa/article/view/phytotaxa.142.1.3>
- Gomes, T., Araújo, O., Pereira, R., Almeida, A.C., Cravo, A., Bebianno,

M.J.. (2013). *Genotoxicity of copper oxide and silver nanoparticles in the mussel *Mytilus galloprovincialis**. Marine Environmental Research 84: 51-59. <http://dx.doi.org/10.1016/j.marenvres.2012.11.009>. Impact Factor: 2.769, 5-Year Impact Factor: 3.078

- Gomes, T., Gonzalez-Rey, M., Rodríguez-Romero, A., Trombini, C., Riba, I., Blasco, J., Bebianno, M.J.. (2013). *Biomarkers in *Nereis diversicolor* (Polychaeta: Nereididae) as management tools for environmental assessment on the southwest Iberian coast*. Scientia Marina 77: 69-78. <http://www.icm.csic.es/scimar/index.php/secId/7/IdArt/4163/>
- Gomes, T., Pereira, C.G., Cardoso, C., Bebianno, M.J.. (2013). *Differential protein expression in mussels *Mytilus galloprovincialis* exposed to nano and ionic Ag*. Aquatic Toxicology 136: 79-90. <http://www.sciencedirect.com/science/article/pii/S0166445X13000908>
- Gonzalez-Rey, M., Bebianno, M.J.. (2013). *Does selective serotonin reuptake inhibitor (SSRI) fluoxetine affects mussel *Mytilus galloprovincialis*?* Environmental Pollution 173: 200-209. <http://www.sciencedirect.com/science/article/pii/S0269749112004575>
- Guimarães, M.H., Ballé-Béganton, J., Bailly, D., Newton, A., Boski, T., Dentinho, T.. (2013). *Transdisciplinary conceptual modeling of a social-ecological system—A case study application in Terceira Island, Azores*. Ecosystem Services 3: e22-e31. <http://www.sciencedirect.com/science/article/pii/S2212041612000630>.
- Horta, J., Moura, D., Gabriel, S., Ferreira, Ó.. (2013). *Measurement of pocket beach morphology using geographic information technology: the MAPBeach toolbox*. Journal of Coastal Research 65: 1397-1402. http://ics2013.org/papers/Paper4078_rev.pdf
- Jacob, J., Cardeira, S., Rodrigues, M., Bruneau, N., Azevedo, A., Fortunato, A.B., Rosa, M., Cravo, A.. (2013). *Experimental and numerical study of the hydrodynamics of the western sector of Ria Formosa*. Journal of Coastal Research, 65, 2011-2016. <http://dx.doi.org/10.2112/SI65-340.1>. Impact Factor: 0.852
- Jacob, J., Cardeira, S., Rodrigues, M., Bruneau, N., Azevedo, A., Fortunato, A. B., Rosa, M., Cravo, A.. (2013). *Experimental and numerical study of the hydrodynamics of the western sector of Ria Formosa*. Journal of Coastal Research, Special Issue No. 65, 2011-2016. http://ics2013.org/papers/Paper4117_rev.pdf
- Jorge, R.C.G.S., Fernandes, P., Rodrigues, B., Pereira, Z., Oliveira, J.T.. (2013). *Geochemistry and Provenance of the Carboniferous Baixo Alentejo Flysch Group, South Portuguese Zone*. Sedimentary Geology 284-285: 133-148. <http://www.sciencedirect.com/science/article/pii/S0037073812003302>
- Kaufman, D. S., Cooper, K., Behl, R., Billups, K., Bright, J., Gardner, K., Hearty, P., Jakobsson, M., Mendes, I., O'Leary, M., Polyak, L., Rasmussen, T., Rosa, F., and Schmidt, M., (2013). *Amino acid racemization in mono-specific foraminifera from Quaternary deep-sea sediments*. Quaternary Geochronology, 16, 50-61. DOI: 10.1016/j.quageo.2012.07.006 (JCR® IF (2015): 3.142)
- Loureiro, C., Ferreira, Ó., Cooper, J.A.G.. (2013). *Applicability of parametric beach morphodynamic state classification on embayed beaches*. Marine Geology 346: 153-164. <http://dx.doi.org/10.1016/j.margeo.2013.09.005>. IF: 2.503

- Maria, V.L., Gomes, T., Barreira, L., Bebianno, M.J. (2013). *Impact of benzo(a)pyrene, Cu and their mixture on the proteomic response of Mytilus galloprovincialis*. Aquatic Toxicology 144-145: 284-295. <http://www.sciencedirect.com/science/article/pii/S0166445X13002701>
- Martins V, Rocha F, Sequeira C, Martins P, Santos JF, Dias JMA, Weber O, Jouanneau J-M, Rubio B, Rey D, Bernabeu A, Silva E, Laut LM, Figueira RCL (2013). *Late Holocene climatic oscillations traced by clay mineral assemblages and other palaeoceanographic proxies in Ria de Vigo (NW Spain)*. Turkish Journal of Earth Sciences 22: 398-413. <http://ria.ua.pt/handle/10773/9665>
- Martins, I., Company, R., Cerqueira, T., Bebianno, M.J., Santos, R.S., Bettencourt, R.. (2013). *Metalloproteinase activity in the hemolymph of hydrothermal vent mussel Bathymodiolus azoricus*. Fish & Shellfish Immunology 34: 1666. <http://www.sciencedirect.com/science/article/pii/S105046481300199X>
- Martins, M.V.A., Dia, J.A., Bernardes, C., Rubio, B., Bernabeu, A., Rey, D., Soares, A.M., Sobrinho, F., Laut, L.M., Frontalini, F., Terroso, D., Miranda, P., Fernández-Fernández, S., Rodrigues, M.A. Figueira, R., Sousa, S., Amaral, P., Mahiques, M., Rocha, F.. (2013). *The ITRAX core scanner, a useful tool to distinguish anthropic vs. climatic influences in lagoon of Aveiro (N Portugal)*. Journal of Coastal Research 65: 70-75. http://w3.ualg.pt/~jdias/JAD/papers/13%20Martins%20-%20ICS2013_b.pdf
- Martins, V., Dias, J.A., Laut, L.M., Sobrinho, F., Santos, J.F., Rodrigues, M.A., Frontalini, F., Miranda, P., Terroso, D., Fernández-Fernández, S., Ferreira, B., Bernardes, C., Figueira, R., Sousa, S., Amaral, P., Mahiques, M., Bernabeu, A., Rey, D., Rubio, B., Rocha, F.. (2013). *Speciation of rare earth elements in surface sediments of Lagoon of Aveiro (N Portugal)*. Journal of Coastal Research 65: 64-69. <http://ria.ua.pt/handle/10773/10615>
- Martins, V., Frontalini, F., Tramonte, K.M., Figueira, R., Miranda, P., Sequeira, C., Fernández-Fernández, S., Dias JÁ., Yamashita, C., Renó, R., Laut, L.L.M., Silva, F.S., Rodrigues, M.A., Bernardes, C., Nagai, R., Sousa, S.H.M., Mahiques, M., Rubio, B., Berbaneu, A., Rey, D., Rocha, F.. (2013). *Assessment of the health quality of Ria de Aveiro (Portugal): Heavy metals and benthic foraminifera*. Marine Pollution Bulletin 70: 18-33. <http://www.sciencedirect.com/science/article/pii/S0025326X13000581>
- Masselink G, Turner IL, Conley DC, Ruessink BG, Matias A, Thompson C, Castelle B, Wolters, G (2013). *BARDEX II: Bringing the beach to the laboratory – again!* Journal of Coastal Research 65: 1545-1550. http://ics2013.org/papers/Paper3577_rev.pdf
- Matias A, Masselink G, Kroon A, Blenkinsoop C, Turner I (2013). *Overwash experiment on a sandy barrier*. Journal of Coastal Research 65: 778-783. http://ics2013.org/papers/Paper3943_rev.pdf
- Mendes I, Dias JA, Schönfeld J, Ferreira Ó, Rosa F, Lobo FJ (2013). *Living, dead and fossil benthic foraminifera on a river dominated shelf (northern Gulf of Cadiz) and their use for paleoenvironmental reconstruction*. Continental Shelf Research 68: 91-111. <http://www.sciencedirect.com/science/article/pii/S0278434313002811>
- Palma P, Ledo L, Soares S, Barbosa IR, Alvarenga P (2013). *Integrated environmental assessment of freshwater sediments: a chemical and ecotoxicological approach at the Alqueva reservoir*. Environ Geochem

Health. <http://link.springer.com/article/10.1007/s10653-013-9559-2#>

- Paula DP, Dias JMA, Ferreira Ó, Morais JO (2013). *High-rise development of the sea-front at Fortaleza (Brazil): Perspectives on its valuation and consequences*. Ocean and Coastal Management 77: 14-23. <http://www.sciencedirect.com/science/article/pii/S0964569112000518>
- Pereira C, Gomes T, Cardoso, C, Almeida, AC, Araújo O, Bebianno MJ, Cravo A (2013). *Interspecific variability of endocrine disruption and oxidative stress in two bivalve species from the Ria Formosa Lagoon (south coast of Portugal)*. Scientia Marina 77: 79-89. <http://www.icm.csic.es/scimar/index.php/secId/7/IdArt/4164/>. Impact factor: 1.144
- Pinheiro N, Barreira L, Lopes B, Bebianno MJ (2013). *Assessment of oil contamination in the bay of Porto Grande (Cape Verde) using the mullet Chelon bispinosus*. African Journal of Environmental Science and Technology 7: 657-670. <http://www.ajol.info/index.php/ajest/article/view/93907>
- Puy-Azurmendi E, Ortiz-Zarragoitia M, Kuster M, Martínez E, Guillamón M, Aragón P, Atienza J, Puchades R, Maquieira A, Domínguez C, López de Alda M, Fernandes D, Porte C, Bayona JM, Barceló D, Cajaraville MP (2013). *Endocrine disruption in thicklip grey mullet (Chelon labrosus) from the Urdaibai Biosphere Reserve (Bay of Biscay, Southwestern Europe)*. Science of the Total Environment 443: 233-244. <http://www.sciencedirect.com/science/article/pii/S0048969712013691>
- Rocha M, Silva P, Michallet H, Abreu T, Moura D, Fortes J (2013). *Parameterizations of wave nonlinearity from local wave parameters: a comparision with field data*. Journal of Coastal Research 65: 374-379. http://ics2013.org/papers/Paper4107_rev.pdf
- Rodrigues MA, Reis MP, Mateus MC (2013). *Liquid chromatography/negative electrospray ionization ion trap MS₂ mass spectrometry application for the determination of microcystins occurrence in Southern Portugal water reservoirs*. Toxicon 74: 8-18. <http://www.sciencedirect.com/science/article/pii/S0041010113002560>
- Rosa F, Rufino MM, Ferreira Ó, Matias A, Brito AC, Gaspar MB (2013). *The influence of coastal processes on inner shelf sediment distribution: The Eastern Algarve shelf (Southern Portugal)*. Geologica Acta, 11: 59-73. <http://www.geologica-acta.com/MostrarAbstractAC.do?abstract=gav1101a04>
- Roselli L, Cañedo-Argüelles M, Goela PC, Cristina S, Rieradevall M, D'Adamo R, Newton A (2013). *Do physiography and hydrology determine the physico-chemical properties and trophic status of coastal lagoons? A comparative approach*. Estuarine and Coastal and Shelf Science 117: 29-36. <http://www.sciencedirect.com/science/article/pii/S0272771412003733>
- Serafim, A., Company, R., Lopes, B., Pereira, C., Cravo, A., Fonseca, V.F., França, S., Bebianno, M.J., Cabral, H.N., (2013). *Evaluation of sediment toxicity in different Portuguese estuaries: ecological impact of metals and polycyclic aromatic hydrocarbons*. Estuarine, Coastal and Shelf Science, 130: 30-41. <http://dx.doi.org/10.1016/j.ecss.2013.04.018>. Impact Factor: 2.335; 5-Year Impact Factor: 2.762
- Teixeira MAC, Argaín JL, Miranda PMA. (2013). *Drag produced by trapped lee waves and*

propagating mountain waves in a two-layer atmosphere. Quarterly Journal of the Royal Meteorological Society 139: 964–981. <http://onlinelibrary.wiley.com/doi/10.1002/qj.2008/abstract>

- Teixeira MAC, Argaín JL, Miranda PMA. (2013). *Orographic drag associated with lee waves trapped at an inversion.* Journal of Atmospheric Sciences 70 2930–2947. <http://journals.ametsoc.org/doi/abs/10.1175/JAS-D-12-0350.1>
- Vieira VMNCS, Martins F, Silva J, Santos R (2013). *Numerical tools to estimate the flux of a gas across the air-water interface and assess the heterogeneity of its forcing functions.* Ocean Science 9: 355-375. <http://www.ocean-sci.net/9/355/2013/os-9-355-2013>. [IF:2.985](#)

Publications ISI 2012

- Alvarenga, P., Palma, P., de Varennes, A., Cunha-Queda, A.C., 2012. A contribution towards the risk assessment of soils from the São Domingos Mine (Portugal): Chemical, microbial and ecotoxicological indicators. *Environmental Pollution* 161, 50-56.
- Azevedo, J.S., Lopes, B., Katsumiti, A., Braga, E.S., Roche, H., Ribeiro, C.A.O., Bebianno, M.J., 2012. Evidence of contamination by oil and oil products in the Santos-São Vicente estuary, São Paulo, Brazil. *Brazilian Journal of Oceanography* 60, 117-126.
- Brito, A.C., Brotas, V., Caetano, M., Coutinho, T.P., Bordalo, A.A., Icely, J., Neto, J.M., Serôdio, J., Moita, T., 2012a. Defining phytoplankton class boundaries in Portuguese transitional waters: An evaluation of the ecological quality status according to the Water Framework Directive. *Ecological Indicators* 19, 5-14.
- Brito, A.C., Fernandes, T.F., Newton, A., Facca, C., Tett, P., 2012b. Does microphytobenthos resuspension influence phytoplankton in shallow systems? A comparison through a Fourier series analysis. *Estuarine, Coastal and Shelf Science* 110, 77-84.
- Brito, A.C., Newton, A., Tett, P., Fernandes, T.F., 2012c. Changes in the yield of microphytobenthic chlorophyll from nutrients: Considering denitrification. *Ecological Indicators* 19, 226-230.
- Brito, A.C., Newton, A., Tett, P., Fernandes, T.F., 2012d. How will shallow coastal lagoons respond to climate change? A modelling investigation. *Estuarine, Coastal and Shelf Science* 112, 98-104.
- Brito, A.C., Quental, T., Coutinho, T.P., Branco, M.A.C., Falcão, M., Newton, A., Icely, J., Moita, T., 2012e. Phytoplankton dynamics in southern Portuguese coastal lagoons during a discontinuous period of 40 years: An overview. *Estuarine, Coastal and Shelf Science* 110, 147-156.
- Cañedo-Argüelles, M., Rieradevall, M., Farrés-Corell, R., Newton, A., 2012. Annual characterisation of four Mediterranean coastal lagoons subjected to intense human activity. *Estuarine, Coastal and Shelf Science* 114, 59-69.
- Carrasco, A.R., Ferreira, Ó., Matias, A., Freire, P., 2012a. Flood hazard assessment and management of fetch-limited coastal environments. *Ocean & Coastal Management* 65, 15-25.
- Carrasco, A.R., Ferreira, Ó., Matias, A., Freire, P., 2012b. Natural and human-induced coastal dynamics at a back-barrier beach. *Geomorphology* 159–160, 30-36.
- Carvalho Dill, A.M.M., Stigter, T.Y., Brito, R., Chicharo, M.A., Chicharo, L., 2014. The combined use of radio frequency-electromagnetic surveys and chemical and biological analyses to study the role of groundwater discharge into the Guadiana estuary. *Ecohydrology* 7, 291-300.
- Chicharo, M.A., Amaral, A., Faria, A., Morais, P., Mendes, C., Piló, D., Ben-Hamadou, R., Chicharo, L., 2012. Are tidal lagoons ecologically relevant to larval recruitment of small pelagic fish? An approach using nutritional condition and growth rate. *Estuarine, Coastal and Shelf Science* 112, 265-279.
- Connor, S.E., Araújo, J., van der Knaap, W.O., van Leeuwen, J.F.N., 2012. A long-term perspective on biomass burning in the Serra da Estrela, Portugal. *Quaternary Science Reviews* 55, 114-124.
- Correia, A., Ramos, A., Barros, F., G, G.S., Hammer, P., Morais, P., Cunha, R., Castilho, R., 2012. Population structure and connectivity of the European conger eel (*Conger conger* L.) across the Northeastern-Atlantic and Western-Mediterranean: integration of molecular and otolith multielemental data. *Marine Biology* 159.
- Cravo, A., Pereira, C., Gomes, T., Cardoso, C., Serafim, A., Almeida, C., Rocha, T., Lopes, B., Company, R., Medeiros, A., Norberto, R., Pereira, R., Araujo, O., Bebianno, M.J., 2012. A multibiomarker approach in the clam *Ruditapes decussatus* to assess the

impact of pollution in the Ria Formosa lagoon, South Coast of Portugal. *Marine Environmental Research* 75, 23-34.

- Daverat, F., Morais, P., Dias, E., Babaluk, J., Martin, J., Eon, M., Fablet, R., Pécheyran, C., Antunes, C., 2012. Plasticity of European flounder life history patterns discloses alternatives to catadromy. *Marine Ecology Progress Series* 465, 267-280.
- Delgado, J., Boski, T., Nieto, J.M., Pereira, L., Moura, D., Gomes, A., Sousa, C., García-Tenorio, R., 2012a. Sea-level rise and anthropogenic activities recorded in the late Pleistocene/Holocene sedimentary infill of the Guadiana Estuary (SW Iberia). *Quaternary Science Reviews* 33, 121-141.
- Delgado, J., Pérez-López, R., Galván, L., Nieto, J.M., Boski, T., 2012b. Enrichment of rare earth elements as environmental tracers of contamination by acid mine drainage in salt marshes: A new perspective. *Marine Pollution Bulletin* 64, 1799-1808.
- Dias, E., Morais, P., Leopold, M., Campos, J., Antunes, C., 2012. Natural born indicators: Great cormorant *Phalacrocorax carbo* (Aves: Phalacrocoracidae) as monitors of river discharge influence on estuarine ichthyofauna. *Journal of Sea Research* 73, 101-108.
- Domingues, R.B., Barbosa, A.B., Sommer, U., Galvão, H.M., 2012. Phytoplankton composition, growth and production in the Guadiana estuary (SW Iberia): Unraveling changes induced after dam construction. *Science of The Total Environment* 416, 300-313.
- Esteves, F., Teixeira Santos, M., Eiras-Dias, J.E., Fonseca, F., 2012. Occurrence of grapevine leafroll-associated virus 5 in Portugal: genetic variability and population structure in field-grown grapevines. *Archives of Virology* 157, 1747-1765.
- Fernandes, P., Musgrave, J.A., Clayton, G., Pereira, Z., Oliveira, J.T., Goodhue, R., Rodrigues, B., 2012. New evidence concerning the thermal history of Devonian and Carboniferous rocks in the South Portuguese Zone. *Journal of the Geological Society* 169, 647-654.
- Fortes, C.J., Ferreira, Ó., Silva, P.A., Moura, T., Capitão, R., Amante, L., Voussdoukas, M., Bezerra, M., 2012. Joint use of data and modeling in coastal wave transformation. *Journal of Coastal Conservation* 16, 461-472.
- Gomes, T., Pereira, C.G., Cardoso, C., Pinheiro, J.P., Cancio, I., Bebianno, M.J., 2012. Accumulation and toxicity of copper oxide nanoparticles in the digestive gland of *Mytilus galloprovincialis*. *Aquatic Toxicology* 118-119, 72-79.
- Gonzalez-Rey, M., Bebianno, M.J., 2012. Does non-steroidal anti-inflammatory (NSAID) ibuprofen induce antioxidant stress and endocrine disruption in mussel *Mytilus galloprovincialis*? *Environmental Toxicology and Pharmacology* 33, 361-371.
- Guimarães, M.H.E., Mascarenhas, A., Sousa, C., Boski, T., Ponce Dentinho, T., 2012. The impact of water quality changes on the socio-economic system of the Guadiana Estuary: an assessment of management options. *Ecology and Society* 17.
- Janeiro, J., Martins, F., Relvas, P., 2012. Towards the development of an operational tool for oil spills management in the Algarve coast. *Journal of Coastal Conservation* 16, 449-460.
- Lima-Costa, M.E., Tavares, C., Raposo, S., Rodrigues, B., Peinado, J.M., 2012. Kinetics of sugars consumption and ethanol inhibition in carob pulp fermentation by *Saccharomyces cerevisiae* in batch and fed-batch cultures. *Journal of Industrial Microbiology & Biotechnology* 39, 789-797.
- Lopes, B., Ferreira, A.M., Bebianno, M.J., 2012. Responses of CYP450 dependent system to aliphatic and aromatic hydrocarbons body burden in transplanted mussels from South coast of Portugal. *Ecotoxicology* 21, 730-749.
- Loureiro, C., Ferreira, Ó., Cooper, J.A.G., 2012a. Extreme erosion on high-energy embayed beaches: Influence of megarips and storm grouping. *Geomorphology* 139-140, 155-171.

- Loureiro, C., Ferreira, Ó., Cooper, J.A.G., 2012b. Geologically constrained morphological variability and boundary effects on embayed beaches. *Marine Geology* 329–331, 1-15.
- Martins, V., Abrantes, I., Grangeia, C., Martins, P., Nagai, R., Sousa, S.H.M., Laut, L.L.M., Dias, J.M.A., Dias, J.M., da Silva, E.F., Rocha, F., 2012a. Records of sedimentary dynamics in the continental shelf and upper slope between Aveiro-Espinho (N Portugal). *Journal of Marine Systems* 96–97, 48-60.
- Martins, V., Figueira, R.C.L., França, E.J., Ferreira, P.A.d.L., Martins, P., Santos, J.F., Dias, J.A., Laut, L.L.M., Monge Soares, A.M., Silva, E.F.d., Rocha, F., 2012b. Sedimentary processes on the NW Iberian Continental Shelf since the Little Ice Age. *Estuarine, Coastal and Shelf Science* 102–103, 48-59.
- McClain, M.E., Chícharo, L., Fohrer, N., Gaviño Novillo, M., Windhorst, W., Zalewski, M., 2012. Training hydrologists to be ecohydrologists and play a leading role in environmental problem solving. *Hydrol. Earth Syst. Sci.* 16, 1685-1696.
- Mendes, I., Dias, J.A., Schönfeld, J., Ferreira, Ó., 2012a. Distribution of living benthic foraminifera on the Northern Gulf of Cadiz continental shelf. *The Journal of Foraminiferal Research* 42, 18-38.
- Mendes, I., Dias, J.A., Schönfeld, J., Ferreira, Ó., Rosa, F., Gonzalez, R., Lobo, F.J., 2012b. Natural and human-induced Holocene paleoenvironmental changes on the Guadiana shelf (northern Gulf of Cadiz). *The Holocene* 22, 1011-1024.
- Morais, P., 2012. Comments on Lowe et al. "Otolith Microchemistry Reveals Substantial Use of Freshwater by Southern Flounder in the Northern Gulf of Mexico". *Estuaries and Coasts* 35, 904-906.
- Morais, P., Martins, F., Chícharo, M.A., Lopes, J., Chícharo, L., 2012. Merging anchovy eggs abundance into a hydrodynamic model as an assessment tool for estuarine ecohydrological management. *River Research and Applications* 28, 160-176.
- Moura, D., Gabriel, S., Gamito, S., Santos, R., Zugasti, E., Naylor, L., Gomes, A., Tavares, A.M., Martins, A.L., 2012. Integrated assessment of bioerosion, biocover and downwearing rates of carbonate rock shore platforms in southern Portugal. *Continental Shelf Research* 38, 79-88.
- Muha, T.P., Chíaro, L., Morais, P., Pereira, R., Ben-Hamadou, R., Cruz, J., Teodósio Chíaro, M.A., 2012. The effect of distinct hydrologic conditions on the zooplankton community in an estuary under mediterranean climate influence. *Ecohydrology & Hydrobiology* 12, 327-335.
- Newton, A., 2012. A Systems Approach for Sustainable Development in Coastal Zones. *Ecology and Society* 17.
- Newton, A., Carruthers, T.J.B., Icely, J., 2012. The coastal syndromes and hotspots on the coast. *Estuarine, Coastal and Shelf Science* 96, 39-47.
- Pacheco, A., FaÍSca, L., Almeida, L., Ferreira, Ó., Williams, J.J., Dias, J.A., 2012. A statistical evaluation of models for extrapolating current velocities from boat-mounted ADCP profiles. *Coastal Engineering Journal* 54, 1250018.
- Range, P., Piló, D., Ben-Hamadou, R., Chícharo, M.A., Matias, D., Joaquim, S., Oliveira, A.P., Chícharo, L., 2012. Seawater acidification by CO₂ in a coastal lagoon environment: Effects on life history traits of juvenile mussels *Mytilus galloprovincialis*. *Journal of Experimental Marine Biology and Ecology* 424–425, 89-98.
- Raposo, S., Lima-Costa, M.E., 2012. Effects of the hydrodynamic environment and oxygen mass transfer on plant cell growth and milk-clotting protease production in a stirred-tank reactor. *Engineering in Life Sciences* 12, 441-449.
- Rodrigues, B., Matias, A., Ferreira, Ó., 2012. Overwash hazard assessment. *Geologica Acta* 10, 427-437.
- Sekovski, I., Newton, A., Dennison, W.C., 2012. Megacities in the coastal zone: Using a driver-pressure-state-impact-response framework to address complex environmental

problems. *Estuarine, Coastal and Shelf Science* 96, 48-59.

- Serafim, A., Company, R., Lopes, B., Fonseca, V.F., França, S., Vasconcelos, R.P., Bebianno, M.J., Cabral, H.N., 2012a. Application of an integrated biomarker response index (IBR) to assess temporal variation of environmental quality in two Portuguese aquatic systems. *Ecological Indicators* 19, 215-225.
- Serafim, A., Company, R., Lopes, B., Mendes, N., Castela, E., Bebianno, M.J., 2012b. Profile analysis of mothers susceptible to contaminants exposure in the Algarve region: Application of the HJ-BILOT method. *Biometrical Letters* 49, 57-66.
- Serafim, A., Company, R., Lopes, B., Rosa, J., Cavaco, A., Castela, G., Castela, E., Olea, N., Bebianno, M.J., 2012c. Assessment of Essential and Nonessential Metals and Different Metal Exposure Biomarkers in the Human Placenta in a Population from the South of Portugal. *Journal of Toxicology and Environmental Health, Part A* 75, 867-877.
- Serrão, M., Rodrigues, J.M.F., Rodrigues, J.I., du Buf, J.M.H., 2012. Indoor Localization and Navigation for Blind Persons using Visual Landmarks and a GIS. *Procedia Computer Science* 14, 65-73.
- Silva, P.L., Martins, F., Boski, T., Sampath, R., 2012. Modeling Basin Infilling Processes in Estuaries using two different approaches: An Aggregate Diffusive Type Model and a Processed Based Model. *Journal of Integrated Coastal Zone Management* 12, 117-129.
- Teixeira, M.A.C., Argaín, J.L., Miranda, P.M.A., 2012. The importance of friction in mountain wave drag amplification by Scorer parameter resonance. *Quarterly Journal of the Royal Meteorological Society* 138, 1325-1337.
- Thompson, C.E.L., Williams, J.J., Metje, N., Coates, L.E., Pacheco, A., 2012. Turbulence based measurements of wave friction factors under irregular waves on a gravel bed. *Coastal Engineering* 63, 39-47.
- Vousdoukas, M.I., 2012. Erosion/accretion patterns and multiple beach cusp systems on a meso-tidal, steeply-sloping beach. *Geomorphology* 141-142, 34-46.
- Vousdoukas, M.I., Almeida, L.P.M., Ferreira, Ó., 2012a. Beach erosion and recovery during consecutive storms at a steep-sloping, meso-tidal beach. *Earth Surface Processes and Landforms* 37, 583-593.
- Vousdoukas, M.I., Ferreira, Ó., Almeida, L.P., Pacheco, A., 2012b. Toward reliable storm-hazard forecasts: XBeach calibration and its potential application in an operational early-warning system. *Ocean Dynamics* 62, 1001-1015.
- Vousdoukas, M.I., Wziatek, D., Almeida, L.P., 2012c. Coastal vulnerability assessment based on video wave run-up observations at a mesotidal, steep-sloped beach. *Ocean Dynamics* 62, 123-137.
- Whelan, J., Murphy, E., Pearson, A., Jeffers, P., Kieran, P., McDonnell, S., Glennon, B., 2012. Use of focussed beam reflectance measurement (FBRM) for monitoring changes in biomass concentration. *Bioprocess and Biosystems Engineering* 35, 963-975.
- Zibordi, G., Ruddick, K., Ansko, I., Moore, G., Kratzer, S., Icely, J., Reinart, A., 2012. In situ determination of the remote sensing reflectance: an inter-comparison. *Ocean Sci.* 8, 567-586.

Publications ISI 2011

- Almeida L. P.; Ferreira O.; Pacheco A., 2011. Thresholds for morphological changes on an exposed sandy beach as a function of wave height, EARTH SURFACE PROCESSES AND LANDFORMS, 36 (4), 523-532.
- Almeida L. P.; Ferreira O.; Voudoukas M. I.; Dodet, G., 2011. Historical variation and trends in storminess along the Portuguese South Coast, NATURAL HAZARDS AND EARTH SYSTEM SCIENCES, 11 (9), 2407
- Almeida, C., Pereira, C., Gomes, T., Bebianno, M.J., Cravo, A. 2011. DNA Damage as a biomarker of genotoxic contamination in *Mytilus galloprovincialis* from the South coast of Portugal. Journal of Environmental Monitoring 13, 2559-2567
- Almeida, L.P., Ferreira, Ó., Taborda, R., 2011. Geoprocessing tool to model beach erosion due to storms: application to Faro beach (Portugal). JOURNAL OF COASTAL RESEARCH, SI64, 1830-1834.
- Aníbal, J.; Esteves, E. & C. Rocha (2011). Seasonal variations in gross biochemical composition, percentage edibility, and condition index of the clam *Ruditapes decussatus* cultivated in Ria Formosa (South Portugal). Journal of Shellfish Research 30(1): 17-23
- Baptista P.; Cunha T.; Bernardes C.; Gama, C., Ferreira, Ó., Dias, J.A., 2011. A Precise and Efficient Methodology to Analyse the Shoreline Displacement Rate, JOURNAL OF COASTAL RESEARCH, 27 (2), 223-232
- Baptista Paulo; Cunha Telmo R.; Matias Ana; Gama Cristina; Bernardes Cristina; Ferreira Óscar, 2011. New land-based method for surveying sandy shores and extracting DEMs: the INSHORE system, ENVIRONMENTAL MONITORING AND ASSESSMENT, 182 (1-4), 243-257
- Barbosa AB and Chicharo MA (2011) Hydrology and Biota Interactions as Driving Forces for Ecosystem Functioning. In: Wolanski E and McLusky DS (eds.) Treatise on Estuarine and Coastal Science, Vol 10, pp. 7–47. Waltham: Academic Press.
- Bartlein, P.J., Harrison, S.P., Brewer, S., Connor, S., Gajewski, K., Harrison-Prentice, T.I., Henderson, A., Peyron, O., Prentice, I.C., Seppa, H., Scholze, M., Shuman, B., Sugita, S., Thompson, R.S., Viau, A., Williams, J., Wu, H. 2011. Pollen-based continental climate reconstructions at 6 and 21 ka: a global synthesis. Climate Dynamics 37: 775-802. <http://dx.doi.org/10.1007/s00382-010-0904-1>
- Bezerra Maria M.; Moura Delminda; Ferreira Oscar, Taborda Rui, 2011. Influence of Wave Action and Lithology on Sea Cliff Mass Movements in Central Algarve Coast, Portugal. JOURNAL OF COASTAL RESEARCH, 27 (6A), 162-171
- Bezerra, M., Ferreira, Ó., Pacheco, A., Freitas. M.C., Pires, R., Andrade, C., Taborda, R., 2011. Stages in the evolution of an ephemeral tidal inlet immediately after artificial opening. JOURNAL OF COASTAL RESEARCH, SI64, 1453-1456.
- Borges, Marisa E. N., Riding, J. B., Fernandes, P., Pereira, Z., (2011). The Jurassic (Pliensbachian to Oxfordian) palynology of the Algarve Basin and the Carrapateira outlier, southern Portugal. Review of Palaeobotany and Palynology, 163 (3-4): 190-204.
- Brito, A.C.; Newton, A.; Fernandes, T.F., Tett, P. The role of microphytobenthos on shallow coastal lagoons: A modeling approach. Biogeochemistry. DOI information: 10.1007/s10533-010-9539-x
- Brito,A.C., Brotas,W., Caetano,M., Coutinho,T.P., Bordalo,A.A., Icely,J., Neto, J.M., Serôdio,J., Moita,T. 2011. Defining phytoplankton class boundaries in Portuguese transitional waters: An evaluation of the ecological quality status according to the water Framework Directive. Ecological Indicators. doi: 10.1016/j.ecolind.2011.07.025
- Cañedo-Argüelles, M.; Farres, R.; Rieradevall, M.; Newton, A. Characterization of four Mediterranean coastal lagoons subjected to intense human activity. Estuarine, Coastal and Shelf Science. DOI: 10.1016/j.ecss.2

- Carrasco A. R.; Ferreira O.; Matias A.; Pacheco, A., Freire, P., 2011. Short-Term Sediment Transport at a Backbarrier Beach, JOURNAL OF COASTAL RESEARCH, 27 (6), 1076-1084
- Carrasco, A.R., Ferreira, Ó., Matias, A., Freire, P., Dias, J.A., 2011. Backbarrier evolution at a medium-term scale. JOURNAL OF COASTAL RESEARCH, SI64, 175-179.
- Ciavola Paolo; Ferreira Oscar; Haerens Piet; Van Koningsveld, Mark, 2011. Storm impacts along European coastlines. Part 1: The joint effort of the MICORE and ConHaz Projects, ENVIRONMENTAL SCIENCE & POLICY, 14 (7), 912-923
- Ciavola Paolo; Ferreira Oscar; Haerens Piet; Van Koningsveld, Mark; Armaroli, Clara, 2011. Storm impacts along European coastlines. Part 2: lessons learned from the MICORE project, ENVIRONMENTAL SCIENCE & POLICY, 14 (7), 924-933
- Colaço, A., Bettencourt, R., Costa, V., Lino, S., Lopes, H., Martins, I., Pires, L., Prieto, P., Serrão Santos, R. 2011. LabHorta: A controlled aquarium system for monitoring physiological characteristics of the hydrothermal vent mussel Bathymodiolus azoricus. ICES Journal of Marine Science
- Company, R., Antúnez, O., Bebianno, M.J., Cajaraville, M.P., Torreblanca, A. 2011. 2-D difference gel electrophoresis approach to assess protein expression profiles in Bathymodiolus azoricus from Mid-Atlantic Ridge hydrothermal vents. Journal of Proteomics, 74(12): 2909-2919.
- Company, R., Serafim, A., Lopes, B., Cravo, A., Kalman, J., Riba, I., DelValls, T.A., Blasco, J., Delgado, J., Sarmiento, A.M., Nieto, J.M., Shepherd, T.J., Nowell, M.J. & Bebianno, M.J. 2011. Source and impact of lead contamination on δ-aminolevulinic acid dehydratase activity in several marine bivalve species along the Gulf of Cadiz. Aquatic Toxicology, 101(1): 146-154.
- Cravo, A., Pereira, C., Gomes, T., Cardoso, C., Serafim, A., Almeida, T., Rocha, B., Lopes, B., Company, R., Medeiros, R., Norberto, R., Pereira, R., Araújo, O., Bebianno, M.J. A multibiomarker approach in the clam *Ruditapes decussatus* to assess the impact of pollution in the Ria Formosa lagoon, South Coast of Portugal. Marine Environmental Research. (In press)
- Delgado, J., Barba-Brioso C., Nieto J., M., Boski T., (2011). Speciation and ecological risk of toxic elements in estuarine sediments affected by multiple anthropogenic contributions (Guadiana saltmarshes, SW Iberian Peninsula): I. Surficial sediments. Science of the Total Environment 409, 3666-3679.
- Dissanayake, Sampath, Boski, Tomasz., Flávio Martins, Carlos Sousa, Francisco Pinheiro Lima Filho, Francisco H. Bezerra, 2011. Forecasting and hindcasting long-term morphological evolution of the estuaries and lagoons in response to the sea-level rise, Journal of Coastal Research, SI 64, 691-695
- Domingues RB, AB Barbosa, U Sommer, HM Galvão (2011) Ammonium, nitrate and phytoplankton interactions in a freshwater tidal estuarine zone: potential effects of cultural eutrophication. Aquatic Sciences 73: 331-343 (doi: 10.1007/s00027-011-0180-0).
- Domingues RB, TP Anselmo, AB Barbosa, U Sommer, HM Galvão (2011) Light as a driver of phytoplankton growth and production in the freshwater tidal zone of a turbid estuary. Estuarine, Coastal and Shelf Science 91: 526-535 (doi: 10.1016/j.ecss.2010.12.008).
- Domingues RB, TP Anselmo, AB Barbosa, U Sommer, HM Galvão (2011) Nutrient limitation of phytoplankton in the freshwater tidal zone of a turbid, Mediterranean estuary. Estuarine, Coastal and Shelf Science 91: 282-297 (doi: 10.1016/j.ecss.2010.10.033).
- Fernandes, D., Loi, B., Porte, C. 2011. Biosynthesis and metabolism of steroids in molluscs. Journal of Steroid Biochemistry and Molecular Biology 127, 189-195.
- Fernandes, D., Schnell, S., Porte, C. 2011. Can pharmaceuticals interfere with the

synthesis of active androgens in male fish? An in-vitro study. Marine Pollution Bulletin 62, 2250-2253.

- Fonseca, V.F., França, S., Serafim, A., Company, R., Lopes, B., Bebianno, M.J. & Cabral., H.N. 2011. Multi-biomarker responses to estuarine habitat contamination in three fish species: *Dicentrarchus labrax*, *Solea senegalensis* and *Pomatos chistusmicrops*. Aquatic Toxicology, 102(3-4): 216-227. (doi: 10.1016/j.aquatox.2011.01.018) (Impact Factor: 3.333; Citations: 2).
- Fonseca, V.F., França, S., Vasconcelos, R.P., Serafim, A., Lopes, B., Company, R., Bebianno, M.J., Cabral, H.N. 2011. Short-term variability of multiple biomarker response in fish from estuaries: Influence of environmental dynamics. Marine Environmental Research, 72(4): 172-178.
- Garel, E., Ferreira, Ó., 2011. Effects of the Alqueva Dam on Sediment Fluxes at the Mouth of the Guadiana Estuary. JOURNAL OF COASTAL RESEARCH, SI 64, 1505-1509.
- Garel, E., Ferreira, Ó., 2011. Monitoring estuaries using non-permanent stations: practical aspects and data examples, OCEAN DYNAMICS, 61 (7), 891-902.
- Gomes, S.D. 2011. Contributions to the European Pollen Database 13: Lake Saloio (Nazaré, western Portugal). Grana, 50: 228-231.
- Gomes, T., Pinheiro, J.P., Cancio, I., Pereira, C.G., Cardoso, C., Bebianno, M.J. 2011. Effects of copper nanoparticles exposure in the mussel *Mytilus galloprovincialis*. Environmental Science and Technology. 45, 9356-9362. Gonzalez-Rey, M., Bebianno, M.J. 2011. Non-steroidal anti-inflammatory drug (NSAID) ibuprofen distresses antioxidant defense system in mussel *Mytilus galloprovincialis* gills. Aquatic toxicology
- Gómez-Pujol, L., Jackson, D.W.T., Cooper, J.A.G., Malvarez, G., Navas, F., Loureiro, C., Smyth, T.A., 2011. Spatial and temporal patterns of sediment activation depth on a high-energy mesotidal beach. JOURNAL OF COASTAL RESEARCH, SI 64, 85-89.
- Gonzalez-Rey, M., Bebianno, M.J. 2011. Does non-steroidal anti-inflammatory (NSAID) ibuprofen induce antioxidant stress and endocrine disruption in mussel *Mytilus galloprovincialis*? Environmental Toxicology and Pharmacology (in Press) (doi:10.1016/j.etap.2011.12.017) (Impact Factor: 1.378; Citations: 0).
- Gonzalez-Rey, M., Lau, T. C., Gomes, T., Maria, V. L., Bebianno, M. J., Wu, R. 2011. Comparison of metal accumulation between 'artificial mussel' and natural mussels (*Mytilus galloprovincialis*) in marine environments. Marine Pollution Bulletin, 63(5-12), 149-153.
- Guimarães, M., Sousa C. , Garcia T. , Dentinho T., Boski T., 2011. The value of improved water quality in Guadiana estuary—a transborder application of contingent valuation methodology. LETTERS IN SPATIAL AND RESOURCE SCIENCES, 4, 31-48.
- Lima-Costa, M.E., Tavares, C., Raposo, S., Rodrigues, B., Peinado, J. (2011). Kinetics of sugars consumption and ethanol inhibition in carob pulp fermentation by *Saccharomyces cerevisiae* in batch and fed-batch cultures. Journal of Industrial Microbiology & Biotechnology
- Lopes, B., Ferreira, A.M., Bebianno, M.J. 2011. Responses of CYP450 dependent system to aliphatic and aromatic hydrocarbons body burden in transplanted mussels from South coast of Portugal. Ecotoxicology, 1-20.
- Maria, V. L., Bebianno, M. J. 2011. Antioxidant and lipid peroxidation responses in *Mytilus galloprovincialis* exposed to mixtures of benzo(a)pyrene and copper. Comparative Biochemistry and Physiology - C Toxicology and Pharmacology, 154(1), 56-63.
- Martins, I., Bettencourt, R., Colaço, A., Sarradin, P.-M., Santos, R.S., Cosson, R. 2011.The influence of nutritional conditions on metal uptake by the mixotrophic dual symbiosis harboring vent mussel *Bathymodiolus azoricus* .Comparative Biochemistry and Physiology - C Toxicology and Pharmacology
- Martins, I., Cosson, R.P., Riou, V., Sarradin, P.M., Sarrazin, J., Santos, R.S., Colaço, A.

2011 Relationship between metal levels in the vent mussel *Bathymodiolus azoricus* and local microhabitat chemical characteristics of Eiffel Tower (Lucky Strike). Deep-Sea Research, 58, 306-315.

- Matias, A., Masselink, G., Turner, I.L., Williams, J.J., Ferreira, Ó., 2011. Detailed analysis of overwash on a gravel barrier. JOURNAL OF COASTAL RESEARCH, SI64, 10-14.
- Moura D.; Gabriel S.; Ramos-Pereira A.; Neves, M; Trindade, J; Viegas, J; Veiga-Pires, C, Ferreira, O; Matias, A; Jacob, J; Boski, T; Santana, P., 2011. Downwearing rates on shore platforms of different calcareous lithotypes, MARINE GEOLOGY, 286 (1-4), 112-116.
- Moura, D., Gabriel, S., Jacob, J., 2011. Coastal Morphology along the Central Algarve rocky Coast: Driver Mechanisms. Journal of Coastal Research, SI 64, 790-794.
- Newton, A., Carruthers, T., Icely, J. 2011. The coastal syndromes and hotspots on the coast. Estuarine and Coastal Shelf Science. doi: 10.1016/j.ecss.2011.07.012
- Nunes M.; Ferreira O.; Loureiro C.; Baily B., 2011. Beach and cliff retreat induced by storm groups at Forte Novo, Algarve (Portugal). JOURNAL OF COASTAL RESEARCH, SI64, 795-799.
- Pacheco A.; Ferreira O.; Williams J. J., 2011. Long-term morphological impacts of the opening of a new inlet on a multiple inlet system, EARTH SURFACE PROCESSES AND LANDFORMS, 36 (13), 1726-1735
- Pacheco A.; Williams J. J.; Ferreira O.; Garel, E, Reynolds, S., 2011. Applicability of sediment transport models to evaluate medium term evolution of tidal inlet systems. ESTUARINE COASTAL AND SHELF SCIENCE, 95 (1), 119-134
- Palma, P., Barbosa, I.R. (2011). Embryo-toxic effects of atrazine environmental concentrations on the crustacean *Daphnia magna*. Global Journal of Environmental Science and Technology. 1:12.
- Pires, A.R., Freitas, M.C., Andrade, C., Taborda, R., Ramos, R., Pacheco, A., Ferreira, Ó., Bezerra, M., Cruces, A., 2011. Morphodynamics of an ephemeral tidal inlet during a life cycle (Santo André Lagoon, SW Portugal). JOURNAL OF COASTAL RESEARCH, SI64, 1565-1569.
- Rosa, F., Dias, J.A., Mendes, I., Ferreira, Ó., 2011. Continental shelf evolution in association with river inputs: Tracing Holocene environmental changes offshore Guadiana River (SW Iberia). Geo-Marine Letters 31, 109-121.
- Rosa, F.; Dias J. A.; Mendes I.; Ferreira, Ó., 2011. Mid to late Holocene constraints for continental shelf mud deposition in association with river input: the Guadiana Mud Patch (SW Iberia), GEO-MARINE LETTERS , 31 (2), 109-121
- Sampath, D.M.R., Boski , T., Silva P.L., Martins F.A., 2011. Morphological evolution of the lower Guadiana estuary and its intertidal zone in response to the projected sea level rise and sediment supply reduction scenarios. Journal of Quaternary Science 26(2), 156-170. . DOI: 10.1002/jqs.1434.
- Sekovski, I.; Newton, A.; Dennison, W.C. Megacities in the coastal zone: Using a driver-pressure-state-impact-response framework to address complex environmental problems. Estuarine, Coastal and Shelf Science DOI: 10.1016/j.ecss.2011.07.011.
- Serafim, A., Company, R., Lopes, B., Fonseca, V.F., França, S., Vasconcelos, R.P., Bebianno, M.J., Cabral, H.N., 2011. Application of an integrated biomarker response index (IBR) to assess seasonal variations of environmental quality in two aquatic systems. Ecological Indicators.(In press) (doi: 10.1016/j.ecolind.2011.08.009)
- Serafim, M.A., Lopes, B., Company, R., Cravo, A., Gomes, T., Sousa, V., Bebianno, M.J. 2011. A multi-biomarker approach in cross-transplanted mussels *Mytilus galloprovincialis*. Ecotoxicology, 20(8): 1959-1974.
- Volf, G., Atanasova, N., Kompare, B., Precali, R., and Ožanic, N. 2011. Descriptive and prediction models of phytoplankton in the northern Adriatic, Ecological Modelling,

Volume 222, Issue 14, 24 July 2011, Pages 2502-2511.

- Voudoukas M.; Ferreira P.; Almeida L.; Dodet, G; Psaros, F; Andriolo, U; Taborda, R; Silva, A.N; Ruano, A; Ferreira, O., 2011. Performance of intertidal topography video monitoring of a meso-tidal reflective beach in South Portugal, OCEAN DYNAMICS, 61 (10), 1521-1540.
- Voudoukas, M.I., Almeida, L.P., Ferreira, Ó., 2011. Modelling storm-induced beach morphological change in a meso-tidal, reflective beach using Xbeach. JOURNAL OF COASTAL RESEARCH, SI64, 1916-1920.
- Weissbach, A., Rudström, A.M., Olofsson, M., Béchemin, C., Icely,J., Newton,A., Tillmann, U., Legrand,C. 2011. Microbial food web interactions in the presence of allelochemicals from the dinoflagellate *Alexandrium tamarense*. Limnology and Oceanography 56, 899-909. doi: 10.4319/lo.56.3-0899
- Zacarias, D. A.; Williams, A. T.; Newton, A.(2011). Recreation carrying capacity estimations to support beach management at Praia de Faro, Portugal. Applied Geography 3, 1075-1081.

Publications ISI 2010

Barbosa, AB, RB Domingues and HM Galvão, 2010. Environmental forcing of phytoplankton in a Mediterranean estuary (Guadiana Estuary, southwestern Iberia): a decadal of anthropogenic and climatic influences. *Estuaries and Coasts* 33: 324-341.

- Blasco, J., Gomes, T., Garcia-Barrera, T., Rodriguez-Romero, A., Gonzalez-Rey, M., Moran-Roldan, F., Tromibini, C., Miotk, M., Gomez-Ariza, J. L., Bebianno, M.J. (2010). Metal occurrence in recent sediments from the southwest of the Iberian Peninsula. *Scientia Marina* 74S1, 1: 99-106. doi:10.3989/scimar.2010.74s1099 (Impact Factor:1.174; Citations: 0).
- Borges, M.E.N., Fernandes, P., Rodrigues, B. & Goodhue, R. 2010. Carbon Isotope Record ($\delta^{13}\text{C}_{\text{carbonate}}$) of the Middle to Late Jurassic (Callovian – Oxfordian) from the Algarve Basin, Portugal. *Geochimica Cosmochimica Acta*, vol. 74(12), supplement 1, pp. A105.
- Borges, M.E.N., Riding, J.B., Fernandes, P. & Pereira, Z. 2011. The Jurassic (Pliensbachian to Kimmeridgian) palynology of the Algarve Basin and the Carrapateira outlier, southern Portugal. *Review of Palaeobotany and Palynology*, vol. 163(3-4), pp. 190-204. <http://dx.doi.org/10.1016/j.revpalbo.2010.09.006>
- Boski T., Long A.J. (2010) Quaternary land-ocean interactions: Driving mechanisms and coastal responses . *Quaternary International* 221, 1- 3 doi:10.1016/j.quaint.2010.02.014
- Briere, C., Roos, P., Garel, E., Hulsher, S.J.M.H. (2010). Modelling the morphodynamics of the Kwinte Bank, subject to sand extraction. *Journal of Coastal Research*, SI 51, 117-126.
- Brito, A. Newton, A. The yield of microphytobenthic chlorophyll from nutrients: enriched experiments in microcosms. *Journal of Experimental Marine Biology and Ecology* 384 (2010) 30-43
- Brito, A., Newton, A., Tett, P and T. F. Fernandes. Sediment and water nutrients and microalgae in a coastal shallow lagoon, Ria Formosa (Portugal): Implications for the Water Framework Directive. *Journal of Environmental Monitoring* 12, 318 DOI: 10.1039/b909429f
- Brito, A.C., Newton, A. , Fernandes, T. F. , Tett, P. The role of microphytobenthos on shallow coastal lagoons: A modelling approach. *Biogeochemistry*. DOI 10.1007/s10533-010-9539-x
- Brito, A., Newton, A., Tett, P., Icely, J., Fernandes, T.F. (2010) The yield of microphytobenthic chlorophyll from nutrients: enriched experiments in microcosms. *Journal of*

Experimental Marine Biology and Ecology 384, 30-43.

- Ceia, F.R., Patrício, J., Marques, J.C., Dias, J.A. (2010). Coastal vulnerability in barrier islands: the high risk areas of the Ria Formosa (Portugal) system. Ocean and Coastal Management, 53, 478-486.
- Company, R, Felicia, H., Serafim, A., Almeida, A.J., Biscoito, M. &Bebianno, M.J. (2010). Metal concentrations and metallothionein-like protein levels in deep-sea fishes captured near hydrothermal vents in the Mid-Atlantic Ridge off Azores. Deep Sea Research, Part I, 57(7): 893-903. doi:10.1016/j.dsr.2010.02.005. (Impact Factor: 2.593; Citations: 0).
- Company, R., Serafim, A., Cosson, R.P., Fiala-Médioni, A., Camus, Serrão-Santos, R. &Bebianno, M.J. (2010). Sub-lethal effects of cadmium on the antioxidant defence system of the hydrothermal vent mussel *Bathymodiolus azoricus*. Ecotoxicology and Environmental Safety, 73(5): 788-795. doi:10.1016/j.ecoenv.2010.01.003 (Impact Factor: 2.133; Citations: 2).
- Cravo A., Relvas P., Cardeira S., Rita F., I Madureira M., Sánchez R. (2010). An upwelling filament off Southwest Iberia: Effect on the chlorophyll a and nutrients exportation. Continental Shelf Research, 30: 1601-1613.
- Delgado, J., Nieto, J.M., Boski, T. (2010) Analysis Of The Spatial Variation Of Heavy Metals In The Guadiana Estuary Sediments (SW Iberian Peninsula) Based On GIS-Mapping Techniques.. Estuarine Coastal and Shelf Science 88, 71 – 83. doi:10.1016/j.ecss.2010.03.011
- Domingues, RB, TP Anselmo, AB Barbosa, U Sommer, and HM Galvão, 2010. Tidal variability of phytoplankton and their environmental drivers in the freshwater reaches of the Guadiana estuary (SW Iberia). International Review of Hydrobiology 95 (4-5): 352-369.
- Garcia, T., Ferreira, Ó., Matias, A., Dias, J.A. (2010). Overwash vulnerability assessment based in long-term washover evolution. Natural Hazards, 54, 225-244.
- Garel, E. (2010). Tidally-averaged currents and bedload transport over the Kwinte Bank, southern North Sea. Journal of Coastal Research, SI 51, 87-94.
- Garel, E., Lefebvre, A. (2010). Wave-induced sand re-suspension at dredged gravel pits based upon hydrodynamics measurements (Tromper Wiek, Baltic Sea). Journal of Coastal Research, SI 51, 195-204.
- Garel, E., Bonne, W., Collins, M.B., 2010. Offshore Sand and Gravel Mining. In: Encyclopedia of Ocean Sciences. Academic Press, Oxford, pp 4162-4170. DOI: 10.1016/B978-012374473-9.00758-X
- Géret, F., Gomes, T., Marty, P., Bebianno, M. J. (2010). Differential protein expression in *Corbicula fluminea* exposed to a mixture of pharmaceutical products. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology 157, S1: 46 - 47. (Impact Factor: 2.196; Citations: 0).
- Gomes, T., Cancio, I., Pinheiro, J. P., Bebianno, M. J. (2010). "Integration of conventional biomarkers and proteomic analysis to assess the effects of copper nanoparticles in *Mytilus galloprovincialis*", Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology 157, S1: 54 - 54. (Impact Factor: 2.196; Citations: 0).
- Gonzalez-Rey M., T.C. Lau T.C., Gomes T., Maria V.L., Bebianno M.J., Wu, R.. Comparison of metal accumulation between 'Artificial Mussel' and natural mussels (*Mytilus galloprovincialis*) in marine environments. Marine Pollution Bulletin doi:10.1016/j.marpolbul.2010.12.007.
- Klein, A.H.F., Ferreira, Ó., Dias, J.A., Tessler, M.G., Silveira, L., Benedet, L., Menezes, J.T., Abreu, J.G.N. (2010). Morphodynamics of structurally controlled headland-bay beaches in southeastern Brazil: A review. Coastal Engineering, 57, 98-111.
- Lima-Costa, M.E., Ferreira, S., Duarte, A. & Ferreira, A.L. (2010). Alleviation of Salt Stress Using Exogenous Proline on a Citrus Cell Line. Acta Hort. (ISHS) 868:109-112

- Manso T, Nunes C., Raposo S., Lima-Costa, M. E. (2010) Production of the biocontrol agent *Pantoeaagglomerans* PBC-1 in a stirred tank reactor by batch and fed-batch cultures. *World Journal of Microbiology and Biotechnology*. 26 (4): 725 – 735. DOI 10.1007/s11274-009-0229-6. (Impact Factor: 2.086 Citations: 2).
- Manso T., Nunes C., Raposo S., Lima-Costa M. E. (2010). Carob pulp as raw material to produce the biocontrol agent *P. agglomerans* PBC-1. *Journal of Industrial Microbiology and Biotechnology*. 37 (11): 1145-1155. DOI: 10.1007/s10295-010-0762-1 IF 1.082cit 2
- Maria, V. L., Gomes T., Bebianno, M. J.(2010). Protein expression profiles in *Mytilusgalloprovincialis* exposed to a combination of contaminants. *Comparative Biochemistry and Physiology - Part A: Molecular & Integrative Physiology*, 157, Supplement 1,S46. (Impact Factor: 2.196; Citations: 0).
- Maria, V.L., Ahmad, I., Oliveira, M., Pacheco, M., Santos, M.A. (2010). *Dicentrarchuslabrax* L. Kidney Antioxidant Responses, Lipid and DNA Damage at five different sites within the Aveiro Lagoon. *Fresenius Environmental Bulletin*, 19, 5, 790-797. (Impact Factor: 0.43; Citations: 0).
- Maria, V.L., Ahmad, I., Teles, M., Serafim, A., Bebianno, M.J., Pacheco, M., Santos, M.A (2010). Golden grey mullet and sea bass oxidative DNA damage and clastogenic/aneugenic responses in a contaminated coastal lagoon. *Ecotoxicology and Environmental Safety*, 73(8):1907-13. DOI: 10.1016/j.ecoenv.2010.07.003. (Impact Factor: 2.133; Citations: 0).
- Marinova-Filipova, M.V., Kvavadze, E.V., Connor, S.E. and Sjögren, P. 2010. Estimating absolute pollen productivity for some European Tertiary-relict taxa. *Vegetation History and Archaeobotany* 19: 351-64. <http://dx.doi.org/10.1007/s00334-010-0257-z>
- Martins, C.C., Mahiques, M.M., Dias, J.A. (2010). Daily morphological changes determined by high-energy events on an embayed beach: a qualitative model. *Earth Surface Processes and Landforms*, 35, 487-495.
- Mascarenhas A, Coelho p, Subtil E, Ramos TB, 2010. The role of common local indicators in regional sustainability assessment. *Ecological Indicators*, 10(3): 646-656.
- Massart, S., Brostaux, Y., Barbarossa, L., Battle, A. , Cesar, V., Dutrecq, O. , Fonseca, F., Guillem, R., Komorowska, B. , Olmos A., Steyer, S., Wetzel, T., Kummert, J. , and Jijakli, M.H. Interlaboratory evaluation of two RT-PCR based methods for detection of four fruit tree viruses. *Annals of Applied Biology*: 154: 133-141 (DOI 10.1111/j.1744-7348.2008.00281.x).
- Matias, A., Ferreira, Ó., Vila-Concejo, A., Morris, B., Dias, J.A. (2010). Short-term morphodynamics of non-storm overwash. *Marine Geology*, 274, 69-84.
- Mendes, I., Rosa, F., Dias, J. A., Schönfeld, J., Ferreira, Ó., Pinheiro, J. (2010). Inner shelf paleoenvironmental evolution as a function of land-ocean interactions in the vicinity of the Guadiana River, SW Iberia. *Quaternary International* 221, 58-67.
- Morais, P., Martins, F., Chícharo, M. A., Lopes, J. and Chícharo, L. , 2010, Merging anchovy eggs abundance into a hydrodynamic model as an assessment tool for estuarine ecohydrological management. *River Research and Applications*, doi: 10.1002/rra.1443
- Newton, A., Oliveira, P. S., Icely J.D. and Foster, P.A. (2010). Monitoring of oxygen condition in the Ria Formosa coastal lagoon, Portugal. *Journal of Environmental Monitoring* 12, 355 DOI: 10.1039/b914015h.
- Oliveira M., Ahmad I., Maria V. L., Pacheco M., Santos M. A. (2010). Antioxidant responses versus DNA damage and lipid peroxidation in golden grey mullet liver: a field study at Ria de Aveiro (Portugal). *ArchEnviron Contam Toxicol*. 59(3):454-63. DOI 10.1007/s00244-010-9491-8. (Impact Factor: 1.743; Citations: 0).
- Pacheco, A., Ferreira, Ó., Williams, J.J., Garel, E., Vila-Concejo, A., Dias, J.A. (2010). Hydrodynamics and Equilibrium of a Multiple Inlet System. *Marine Geology*, 274, 32-42.

- Radzevičius, R., Velegrakis, A., Bonne, W., Kortekaas, S., Garel, E., Blažauskas, N., Asariotis, R. (2010). Marine aggregates extraction: regulation and management in EU member States. *Journal of Coastal Research*, SI 51, 15-38.
- Serafim, A., Bebianno, M.J. (2010). Effect of a polymetallic mixture on metal accumulation and metallothionein response in the clam *Ruditapes decussatus*. *Aquatic Toxicology*, 99(3):370-378. doi:10.1016/j.aquatox.2010.05.016 (Impact Factor: 3.124; Citations: 1).
- Sjögren, P., Connor, S.E., van der Knaap, W.O., van Leeuwen, J.F.N. 2010. The development of composite pollen-dispersal functions for estimating absolute pollen productivity in the Swiss Alps. *Vegetation History and Archaeobotany* 19: 341-9. <http://dx.doi.org/10.1007/s00334-010-0247-1>
- Van Lancker V, Bonne W, Garel E, Degrendele K, Roche M, Van den Eynde D, Bellec V, Briere C, Collins MB, Velegrakis A, 2010. Recommendations for the sustainable exploitation of tidal sandbanks, 2010. *Journal of Coastal Research*, SI 51, 151-164. DOI: 10.2112/SI51-014.1

Publications ISI 2008

Boski, T., Camacho, S., Moura, D., Fletcher, W., Wilamowski, A., Veiga-Pires, C., Correia, V., Loureiro, C., Santana. P. (2008). *Chronology of the sedimentary processes during the postglacial sea level rise in two estuaries of the Algarve coast, Southern Portugal*. *Estuarine Coastal and Shelf Science*, 77 (2), 230-244. <http://dx.doi.org/10.1016/j.ecss.2007.09.012>

- Domingues R. B., Barbosa A, Galvão H. (2008) Constraints on the use of phytoplankton as a biological quality element within the Water Framework Directive in Portuguese waters. *Marine Pollution Bulletin* 56(8): 1389-1395.
- Galvão H.M, Reis M.R, Valério E., Domingues R.B., Costa C. , Lourenço D., Condinho S., Miguel R., Barbosa A., Gago C., Faria N., Paulino S., Paulo Pereira. Cyanobacteria blooms in natural waters in Southern Portugal – A water management perspective. *Aquatic Microbial Ecology* 53(1): 129-140.
- Garel E, Lopez M, Collins MB, 2008. Sediment resuspension events induced by the wake wash of deep-draft vessels. *Geo-Marine Letters*, 28 (4), 205-211. DOI: 10.1007/s00367-008-0101-y.
- Jacob, J., Gama, C., Salgado, R., Liu, J. and Silva, A., 2009. Shadowing Effects on Beach Morphodynamics during Storm Events on Tróia-Sines Embayed Coast, Southwest Portugal. *Journal of Coastal Research*, SI 56 (Proceedings of the 10th International Coastal Symposium), pg 73 – 77, Lisbon, Portugal, ISBN.
- Janeiro, J., Fernandes, E., Martins, F. & Fernandes, R., 2008. Wind and Freshwater Influence over Hydrocarbon Dispersal on Patos Lagoon, Brazil, *Marine Pollution Bulletin* 56:650–665.
- Kuparinen J. & Galvão H. Microbial ecology, from local to global scales. (2008) *Aquatic Microbial Ecology* 53(1): 2-11.
- Loureiro, S., Icely, J., Newton, A. 2008. Enrichment experiments and primary production at Sagres (S.W. Portugal). *Journal of Experimental Marine Biology and Ecology* 359, 118-125.
- Loureiro, S., Icely, J. and Newton, A. (2008) Enrichment experiments and primary production at Sagres (SW Portugal). *J. Exp. Mar. Biol. Ecol.*, 359, 118-125.
- Montagnes, DJS, Barbosa, AB, Boenigk, J., Davidson, D., Jürgens, K., Macek, M., Parry, J., Roberts, EC & Šimek, K., 2008. Selective feeding behaviour of key free-living protists: avenues for continued study, *Aquatic Microbial Ecology* 53(1): 83-98.
- Sánchez, R., P. Relvas, A. Martinho, and P. Miller, Physical description of an upwelling filament west of Cape St. Vincent in late October 2004, *Journal of Geophysical Research*, 113, C07044, doi:10.1029/2007JC004430, 2008.

- Teixeira, M.A.C., Miranda, P.M.A., Argain, J.L., Mountain waves in two-layer sheared flows: critical level effects, wave reflection and drag enhancement, *Journal of the Atmospheric Sciences*, 65, 1912-1928; 2008.
- Ferreira, Ó., Dias, J.A., Taborda, R. (2008). Implications of sea-level rise for continental Portugal. *Journal of Coastal Research*, 24 (2), 317-324.
- Matias, A., Ferreira, Ó., Vila-Concejo, A., Garcia, T., Dias, J.A. (2008). Classification of washover dynamics in barrier islands. *Geomorphology*, 97, 655-674.
- Carrasco, A.R., Ferreira, Ó., Davidson, M., Matias, A., Dias, J.A. (2008). Evolutionary Categorisation Model for Backbarrier Beaches. *Marine Geology*, 251, 156-166.
- Oliveira, S.C., Catalão, J., Ferreira, Ó., Dias, J.M.A. (2008). Evaluation of cliff retreat and beach nourishment in Southern Portugal through photogrammetric techniques. *Journal of Coastal Research*, 24 (4C), 184-193.
- Bertin, X., Castelle, B., Anfuso, G., Ferreira, Ó. (2008). Improvement of sand activation depth prediction under conditions of oblique wave breaking. *Geo-Marine Letters*, 28, 65-75.
- Burdloff, D., Araújo, M.F., Jouanneau, J.-M., Mendes, I., Monge Soares, A.M., Dias, J.M.A. (2008). Sources of organic carbon in the Portuguese continental shelf sediments during the Holocene period. *Applied Geochemistry*, 23, 2857-2870.
- Pacheco, A., Vila-Concejo, A., Ferreira, Ó., Dias, J.A. (2008). Assessment of Tidal Inlet Evolution and Stability Using Sediment Budget Computations and Hydraulic Parameter Analysis. *Marine Geology*, 247, 104-127.
- Garel, E., Lopez, M., and Collins, M.B. (2008). Sediment resuspension events induced by the wake wash of deep-draft vessels. *Geo-Marine Letters*, 28 (4), 205-211.
- Baptista, P.B., Bastos, L.C., Bernardes, C.A., Cunha, T.R., Dias, J.A. (2008). Monitoring sandy shores morphologies by DGPS - a practical tool to generate digital elevation models. *Journal of Coastal Research*, 24 (6), 1516-1528.
- Boski T., Camacho,S, Moura D. Fletcher W., Wilamowski A., Veiga-Pires,C., Duarte,D., Loureiro Ferreira, C., Santana, P. (2008) Chronology of the postglacial sea-level rise in 2 estuaries of Algarve Coast, S. Portugal. *Estuarine Coastal and Shelf Science* 77, 230-244.
- Navarro, A., Lourenço, N., Chorowicz, J., Miranda, J.M. and Catalão, J. (accepted tectonophysics 2008). Analysis of geometry of volcanoes and faults in Terceira Island (Azores): Evidence for reactivation tectonics at the EUR/AFR plate boundary in the Azores Triple Junction.
- Luis, J. F., and J. M. Miranda (2008), Reevaluation of magnetic chrons in the North Atlantic between 35°N and 47°N: Implications for the formation of the Azores Triple Junction and associate
- Kaabouben F, Brahim AI, Toto E, Baptista MA, Miranda JM, Soares P, Luis J.F. On The Focal Mechanism Of The 26.05.1975 North Atlantic Event. Contribution From Tsunami Modeling. *Journal of Seismology* Volume 12, Number 4,pp575-583 / October, 2008.
- Neves, M.C., Terrinha, P., Afifhado, A., Moulin, M., Matias, L., Rosas, F., 2008. Response of a multi-domain continental margin to compression: study from seismic reflection - refraction and numerical modelling in the Tagus Abyssal Plain. *Tectonophysics*. doi:10.1016/j.tecto.2008.05.008
- Neves, M.C. and Neves, R.M.. Flexure and Seismicity across the Ocean-Continent Transition in the Gulf of Cadiz. *Journal of Geodynamics*. doi:10.1016/j.jog.2008.07.002, 2008.
- Ahmad, I, Maria, V.L, Oliveira, M., Serafim, A., Bebianno, M. J., Pacheco, M. & Santos, M. A. (2008). DNA damage and lipid peroxidation versus protection responses in the gill of *Dicentrarchus labrax* L. from a contaminated coastal lagoon (Ria de Aveiro, Portugal). *Science of the Total Environment*, 406(1-2): 298-307.

doi:10.1016/j.scitotenv.2008.06.027 (impact factor: 2.182)

- Chora, S., McDonagh, B., Sheehan, D. Starita-Geribaldi, M., Roméo, M. & Bebianno, M. J. (2008). Ubiquitination and carbonylation as markers of oxidative-stress in *Ruditapes decussatus*, *Marine Environmental Research* 66, 1: 95 - 97. (impact factor: 1.930)
- Company, R., Serafim, A., Lopes, B., Cravo, A., Shepherd, T.J., Pearson, G. & Bebianno, M.J. (2008). Using biochemical and isotope geochemistry to understand the environmental and public health implications of lead pollution in the lower Guadiana River, Iberia: a freshwater bivalve study, *Science of the Total Environment*, 405 (1-3): 109-119. doi:10.1016/j.scitotenv.2008.07.016 (impact factor: 2.182)
- Company, R., Serafim, M., Cosson, R.P., Fiala-Médioni, A., Camus, L., Colaço, A., Serrão-Santos, R. & Bebianno, M.J. (2008). Antioxidant biochemical responses to long-term copper exposure in *Bathymodiolus azoricus* from Menez-Gwen hydrothermal vent. *Science of the Total Environment* 389(2-3): 407-417.
doi:10.1016/j.scitotenv.2007.08.056 (impact factor: 2.182)
- Cosson, R.P., Thiébaut, E., Company, R., Castrec-Rouelle, M., Colaço, A., Martins, I., Sarradin, P.M. & Bebianno, M.J. (2008). Spatial variation of metal bioaccumulation in the hydrothermal vent mussel *Bathymodiolus azoricus*, *Marine Environmental Research*, 65(5): 405-415. doi:10.1016/j.marenvres.2008.01.005 (impact factor: 1.930)
- Cravo, A., Foster, P., Almeida, C., Bebianno, M.J. & Company, R. (2008). Metal concentrations in the shell of *Bathymodiolus azoricus* from contrasting hydrothermal vent fields on the mid-Atlantic ridge. *Marine Environmental Research*, 65(4): 338-348.
doi:10.1016/j.marenvres.2007.12.003 (impact factor: 1.930)
- Fernandes, D.; Bebianno, M. J. & Porte, C. (2008). Hepatic levels of metal and metallothioneins in two commercial fish species of the Northern Iberian shelf, *The Science of Total Environment* 391, 2: 159 - 167. (impact factor: 2.182)
- Fernandes, D.; O., Andreu-Sanchez; Bebianno, M. J. & Porte, C. 2008. Assessment of pollution along the Northern Iberian shelf by the combined use of chemical and biochemical markers in two representative fish species, *Environmental Pollution* 155, 3: 327 - 335. (impact factor: 3.135)
- Fernandes, D.; Zanuy, S.; Bebianno, M. J. & Porte, C. (2008). Chemical and biochemical tools to assess pollution exposure in cultured fish, *Environmental Pollution* 152, 2: 138 - 146. (impact factor: 3.135)
- Gonzalez-Rey, M., Serafim, M.A., Company, R., Gomes, T. & Bebianno, M.J. (2008). Detoxification mechanisms in shrimp: comparative approach between hydrothermal vent fields and estuarine environments. *Marine Environmental Research*, 66(1):35-37.
doi:10.1016/j.marenvres.2008.02.015 (impact factor: 1.930)
- Joaquim, S., Matias, D., Lopes, B., Arnold, W.S. & Gaspar, M. (2008). The reproductive cycle of white clam *Spisula solidia* (L.) (Mollusca: Bivalvia): Implications for aquaculture and wild stock management. *Aquaculture*, 281: 43-48. (impact factor: 1.735)
- Lopes, B. & Bebianno, M. J. (2008). Impact of PAH levels on CYP450 in *Mytilus galloprovincialis* from the South Coast of Portugal, *Marine Environmental Research* 66, 1: 32 - 32. (impact factor: 1.930)
- Marques, C. C., Gabriel, S.I. Pinheiro, T., Viegas-Crespo, A. M.; Mathias, M. L.; Bebianno, M. J. (2008). Metallothionein levels in Algerian mice (*Mus spreitus*) exposed to elemental pollution: An ecophysiological approach, *Chemosphere* 71, 12: 3140 - 1347. (impact factor: 2.739)
- Oliveira, M, Serafim, A, Bebianno, M.J., Pacheco, M. & Santos, M.A. (2008). European eel (*Anguilla anguilla* L.) metallothionein, endocrine, metabolic and genotoxic responses to copper exposure. *Ecotoxicology and Environmental Safety*, 70(1): 20-26.
doi:10.1016/j.ecoenv.2007.10.034 (impact factor: 2.014)
- Peixoto N.C, Rocha, L.C., Moraes, D.P., Bebianno, M. J., Dressler, V.L., Flores, E. M. M. & Pereira, M. E. (2008). "Changes in levels of essential elements in suckling rats exposed

to zinc and mercury", Chemosphere, 72, 1327-1332 72, 14: 1327 - 332. (impact factor: 2.739)

- Serafim, A., Company, R. & Bebianno, M.J. (2008). Metal-handling strategies in the vent mussel *Bathymodiolus azoricus* naturally exposed to metals, Marine Environmental Research, 66(1): 33-33. IDS Number: 325FX (impact factor: 1.930)
- Serafim, A., Lopes, B., Company, R., Ferreira, A.M. & Bebianno, M.J. (2008). Comparative petroleum hydrocarbons levels and biochemical responses in mussels from hydrothermal vents (*Bathymodiolus azoricus*) and coastal environments (*Mytilus galloprovincialis*). Marine Pollution Bulletin, 57(6-12): 529-537. doi:10.1016/j.marpolbul.2008.02.015 (impact factor: 2.334)
- Vasconcelos, P., Lopes, B., Castro, M., Gaspar, M. (2008). Comparison of indices for the assessment of reproductive activity in *Hexaplex (Trunculariopsis) trunculus* (Gastropoda: Muricidae). Marine Biology Research, 4: 392-399. (impact factor: 1.147)
- Vasconcelos P., Lopes B., Castro, M. & Gaspar MB. (2008). Gametogenic cycle of *Hexaplex (Trunculariopsis) trunculus* (Gastropoda: Muricidae) in the Ria Formosa lagoon (Algarve coast - southern Portugal). Journal of the Marine Biological Association of the United Kingdom, 88 (23): 321-329. (impact factor: 0.912)
- Wayland, D., Megson, D.P., Mudge, S.M., Icely, J., Newton, A. 2008. Identifying the source of nutrient contamination in a lagoon system. Environmental Forensics 9, 1-9.